WATER WELL RECORD			Form WV	WC-5	Division of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: Harvey		Fraction SE ¼ NE ¼ NE	1/4 1/4		Township No. T 23 S	Range Number R 1 □E ☑W		
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:		
ı	from nearest town or intersection: If at owner's address, check here \mathbf{Z} .					Latitude: (in decimal degrees)		
	1817 S Ridge Rd				Longitude: (in decimal degrees) Elevation:			
Newton, KS					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Lindley Harms					Collection Method:			
RR#, Street Address, Box #: 1817 S F City, State, ZIP Code : Newton)	
City,		. Newton.	KS 67114		Est. Accuracy:	3 m,	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80								
	WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1).20 ft. (2) ft. (3) ft. (3) ft. (2) ft. (3) ft. (1) ft. (1) ft. (2) ft. (1) ft. (2) ft. (3) ft. (4) ft. (5) ft. (6) ft. (6) ft. (7) ft. (1) ft. (1) ft. (1) ft. (1) ft. (1) ft. (1) ft. (2) ft. (3) ft. (4) ft. (4) ft. (4) ft. (5) ft. (6) ft. (6) ft. (6) ft. (7) ft. (7) ft. (7) ft. (7) ft. (8) ft. (1) ft. (1							
Pump test data: Well water was							ping gpm	
NW	NE	EST. YIELD. 15	gpm. Well water wasft. after hours pumping					
W							niection well	
I I I I I I I I I I I I I I I I I I I								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .20 ft., Diameter ft., Diameter ft.								
Casing height above land surface 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26								
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 3 ft. to .20 ft., From ft. to ft., From ft. to ft.								
		source of possible conta		-			· · · · · · · · · · · · · · · · · · ·	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ✓ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
			101.00				ICONIC DITERVALS	
FROM 3	TO	LITHOLOG op Soil	IC LOG	FROM	TO LITHO, L	OG (cont.) or PLU	JGGING INTERVALS	
		lay						
		and						
20	80 SI	hale						
			4					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my invidition and was completed on (market water) 12/10/10								
under my jurisdiction and was completed on (mo/day/year) .12/10/10 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No238 This Water Well Record was completed of (mo/day/year) .12/13/10								
under the business name of Premier Pump and Well Service, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								