WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No),
1 LOCATION OF WATER WELL: County: Harvey	Fraction 1/4 SE 1/4 SE 1/4 SE 1/4	Section Number 07	Township No. T 23 S	Range Number R 01 □E ⊠ W
County: Harvey Street/Rural Address of Well Location;		Global Positioning	System (GPS) info	ormation:
from nearest town or intersection: If at	owner's address, check here	Latitude:	38.057712	(in decimal degrees)
Approximately 5 miles west of Newton.		Longitude: -97.464252 (in decimal degrees) Elevation: unknown		
	I (I AI (- Datum: I I WGS 8	4, ⊠ NAD 83, □	NAD 27
2 WATER WELL OWNER: City of North Newton RR#, Street Address, Box #: 2601 N. Main St		Collection Method: ☐ GPS unit (Make/Model: WAAS)		
City, State, ZIP Code : North Newton, KS 67117		Digital Map/Photo, Topographic Map, Land Survey		
3 LOCATE WELL		Est. Accuracy:		5-15 m, >15 m
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	44 ft.		
SECTION BOX: Depth(s) Groundwater Encountered (1) WELL'S STATIC WATER LEVEL 18.05 ft. below land surface measured on mo/day/yr 04/07/11				
Pump test data: Well water was not checked ft. after hours pumping gpm				
NW NE EST, YIELD gpm, Well water was ft. after hours pumping gpm				
W Bore Hole Diameter 5 in. to 61 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
-SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)				
Irrigation Industrial Domestic-lawn & garden Monitoring well Observation Well				
Was a chemical/bacteriological sample submitted to Department? Yes No S If yes, mo/day/yr sample was submitted				
F Water well disinfected? Yes No				
5 TYPE OF CASING USED: Stee	1 M PVC Other			
CASING JOINTS: Simple Clamped Welded Threaded Casing diameter 2 in. to 32 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight .70 lbs./ft., Wall thickness or gauge No154				
Casing diameter 2 in. to 32 ft., Diameter in. to ft., Diameter in. to ft.				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)				
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	Wire wrapped Saw cut	42 Other (specify)	ft.:	to ft.
	From ft. to From 26 ft. to	ft., From	ft.	toft.
GRAVEL PACK INTERVALS	From 26 ft. to	45 ft., From	ft.	to ft.
6 GROUT MATERIAL: Neat cem	From ft. to	onite Other	1t.	11,
6 GROUT MATERIAL: Neat cem Grout Intervals: From ft. to	ft., From 0	ft. to 26 ft.	From 45	ft. to 61 ft.
What is the nearest source of possible cont		pens	a storage Moth	ner (specify below)
Septic tank Lateral li Sewer lines Cesspool		ge Abandone	d water well	` ` '
Watertight sewer lines Seepage			as well	None known
Direction from well FROM TO LITHOLOG		from well TO LITHO, L	OG (cont.) or PLU	JGGING INTERVALS
0 1 Topsoil	No Edd TROM		00 (10) 01 1 10	
1 11 Clay, brown				
11 26 Clay, gray, tan 26 42 Sand, fine to coarse				
42 56 Clay, gray, tan				
56 61 Shale, green				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was onstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 04/07/11 and this record is true to the best of my knowledge and belief.				
under my jurisdiction and was completed on (mo/day/year)				
under the business name of Clarke Well & Equipment, Inc. by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212		Check: W	hite Copy, Bl	ue Copy, Pink Copy