WATER WELL RECORD	Form W	WC-5	Division of Wate	r Resources App. No).	
1 LOCATION OF WATER WELL			Section Number	Township No.	Range Number	
County: Harvey	ans if contraction as a distance	9 1/5 W 1/4	Clobal Basitianina	TZ3 S	R DE ₩	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude:						
	Longitude: (in decimal degrees)					
	Elevation:	Elevation:				
2 WATER WELL OWNER:	Datum: WGS 84, NAD 83, NAD 27 Collection Method:					
2 WATER WELL OWNER: C/A RR#, Street Address, Box #:	GPS unit (Mal	ke/Model:)			
City, State, ZIP Code : Newton, Ks 6714			☐ Digital Map/Pi	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL	ewe protis d	\sim	_	3 m, ∐ 3-5 m, ∐	5-15 m, <u></u> >15 m	
WITH AN "X" IN 4 DEPTH	OF COMPLETED WEI	$_{ m LL}$ $\mathcal{G}\mathcal{O}$, ft _/	7 -		
SECTION BOX: Depth(s) Gr	oundwater Encountered	(1)p/a	$\dots ft. \qquad (2) \dots f.$	く.ム ft. (.	3)gg. ft.	
SECTION BOX: N Depth(s) Groundwater Encountered (1)						
EST. YIELD 15:20 gpm Well water was ft. after hours pumping gpm						
W						
WELL WATER TO BE USED AS:						
SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Dewatering Other (Specify below) Other (Sp						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☐ No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected?						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS:						
Casing diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL: Weight S.D.O						
☐ Steel ☐ Stainless Steel ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped SCREEN-PERFORATED INTERVALS: From ft. to ft.						
SCREEN-PERFORATED INTERVAL						
GRAVEL PACK INTERVAL					o ft.	
GIGTY BETTTER INVENTOR					o ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Seepa	ige pit	Fertilizer s				
FROM TO LITHOI	OGIC LOG	FROM	from well		GGING INTERVALS	
0 35-YELLOW C	-lau	T ROM	TO EITHO. EX	3G (cont.) <u>or</u> 1 EC	GGIVG IVIENTALS	
					,	
35 45 Sandy C	lay					
HE 00 121 201						
72 73 Crumble	b Shaler L	1/2/00				
73 PS- Blue Sha	12	vacer				
Pr 86 Some Wat	en					
0/000	,					
CONTRACTOR'S OR I (NIDOWNER'S CERTIFICATION). This waster well and of the constructed or or always						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) ☐						
Kansas Water Well Contractor's License No						
under the business name of Jack hug						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to						
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212						