WATER WELL RECORD)	Form WWC-5	Division of Wate	r Resources App. N		
1 LOCATION OF WATER V			Section Number	Township No.	Range Number	
County: Harvey 1/4		e 1/4 Sw 1/4 N w 1/4				
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here Z .			Latitude: (in decimal degrees)			
			Longitude: (in decimal degrees)			
			Elevation:			
2 WATER WELL OWNER: Candy Front			Collection Method:	4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Sandy Fruit RR#, Street Address, Box #: 1020 hazy Creek Dr City, State, ZIP Code: Newton, K967114			GPS unit (Mal	ke/Model·)	
City, State, ZIP Code			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	Newton, K	967114	Est. Accuracy: <			
3 LOCATE WELL		*/*				
WITH AN "X" IN 4 DE	PTH OF COMPLET				·a\	
SECTION BOX: Depth	Depth(s) Groundwater Encountered (1)33ft. (2)					
N WELI	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr					
FOT						
w EST.	YIELD	Well water wasf	and in	to dours puin	.р.п.д gpm	
W Bore		ED AS: Public water				
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes						
S If yes, mo/day/yr sample was submitted						
mile Water well disinfected?						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 2 in to 2 ft Diameter in to ft Diameter in to ft						
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight DF 26lbs./ft., Wall thickness or gauge No. 24						
TYPE OF SCREEN OR PERFORATION MATERIAL.						
☐ Steel ☐ Stainless Steel ☐ IVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft. ft. ft.						
From ft to ft From ft to ft						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.						
Grout Intervals: From ft. to ft., From ft. to ft., From ft., From ft., From ft., From ft.						
What is the nearest source of possible contamination:						
Septic tank						
Sewer lines						
Watertight sewer lines Direction from well	,	yard Fernitzer st	from well			
	ITHOLOĢIC LOG	FROM			JGGING INTERVALS	
		TROW	TO LITTO. L	00 (cont.) <u>or</u> 1 L c	OGING INTERVALS	
0 25 YEllou	- juy					
2x 40 Qnn1	L mived C	Olav				
10 10 SW116	VIIIXEG C	- in x				
40 74 13/10	Chalo					
1015				•		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No						
under the business name of Darkhu. Q						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						