WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.					
1 LOCATION OF WATER WELL:		Fraction		Section Number Township No.			Range Number		
County: Harvey		14Se 14Sw 14 Nw 14		2		T 23 S	R /	□E ZW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						System (GPS) in			
non nearest town or intersection. If at owner 3 address, eneck nere				Latitude: (in decimal degrees) Longitude: (in decimal degrees)					
				Elevation:					
2 WATER WELL OWNER: Bryan Kristenson				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:					
RR#, Street Address, I		GPS unit (Make/Model:)							
City, State, ZIP Code : Newton, Ko 62114				Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: doi: 10.15m					
3 LOCATE WELL						3 m, <u></u> 3-3 m, <u></u>	3-13 m, <u>∟</u>] >12 m	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L	•••••	ft.		7 1	0 10	
SECTION BOX:	X: Depth(s) Groundwater Encountered (1)35ft. (2)ft. (3)7-23-/2ft. WELL'S STATIC WATER LEVEL30ft. below land surface measured on mo/day/yr								
	Pump test data: Well water was								
EST. YIELD & Well water was									
WELL WATER TO BE USED AS: ☐ Public water supply									
SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected?									
5 TYPE OF CASING USED. Steel									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in, to ft. Diameter in, to ft. Diameter ft. Diameter ft.									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Asaw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 25									
From									
GRAVEL PACK INTERVALS: From 20 ft. to 50 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
What is the nearest source of possible contamination:									
Septic tank	nes Pit privy								
Sewer lines						s well			
Direction from well	<u>.s</u>				454				
FROM TO	LITHOLOG	IC LOG	FROM	TO I	LITHO. LC	OG (cont.) or PLU	GGING I	NTERVALS	
0 3 Tap	١١٥٤								
3 27 Cla	LV								
							-		
27 30 San	dy Clay	/							
30 43 San	1 . / . / . /	ater							
30 73 Jan	c+w	WEER							
43 75 BIU	e Shoule								
			NAT OTT :				. 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was —constructed, — reconstructed, or — plugged under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No									
under the business name of Das Khus									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PMINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Sen	d one copy to WAT								
http://www.kdheks.gov/waterwe KSA 82a-1212	ell/index.html.								
15D/1 U2G-1212									