		'orm WW			sion of Water		*** ***		
Original Record		Change in W			urces App. No.	T 1: N 1	Well ID	NTI	
1 LOCATION OF W		Frac		Sect	tion Number	Township Numb		ge Number	
County:)-to-	U-Oy		14Ne141Ye1/4	SW/4		T 23 S			
2 WELL OWNER: L	ast Name: 🍏 🗷 🎢	2. First	ti Acie Sit	Street or Rur	al Address wh	ere well is located	(if unknown,	distance and	
Business: BOX 2	75		Praise rie	direction from n	earest town or inte	ersection): If at owne	er's address, o	check here:	
Address.	2.4	1/	1	2017	RI	· 040	04		
City: HOSe	Hill, Stat	te://) @ ZIP	6/133	301	DIVE	Stem	26		
3 LOCATE WELL		,	· · · · · · · · · · · · · · · · · · ·	80 0	F 7 3 3 3 3 3				
WITH "X" IN	Denth(a) Group	r COMPLE	TED WELL:			i. 19. a. a. i. ja ara 19. a. a. i. a. a. a. a. a. a. a. i. i. a.			
SECTION BOX:						le:			
N	WELL'S STAT	11. 3) FIC WATER I	ft., or 4) [LEVEL:	This well		WGS 84 □ NA		IAD 27	
			sured on (mo-day-			r Latitude/Longitude (unit make/model:		,	
NW NE	above land	surface, meas	sured on (mo-day-	vr). 6-31-		(WAAS enabled?			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Pump test data: Well water was ft,					Land Survey Topographic Map			
E E		hours pump	ping	gpin		ne Mapper:			
SW SE			was f						
\$w \$E	after	hours pum	ping	gpm	6 Florestia	ni 6	- C Cround	LL aval ELTOC	
	Estimated Yield:				6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
S	S Bore Hole Diameter: 1 in. to				Other				
7 WELL WATER TO	DE LICED AC.		111, 10	11,					
1. Domestic:			ipply: well ID		10 🖂 🔾 🖂	eld Water Supply: 1	anca		
Hoysehold			ow many wells?			e: well ID			
Z Lawn & Garden			ge: well ID			☐ Uncased ☐			
Livestock						nal: how many bore			
2. Irrigation						d Loop 🔲 Horizon			
3. ☐ Feedlot	□ Ai	ir Sparge	☐ Soil Vapor I	Extraction	b) Open	Loop Surface D	ischarge 🔲	Inj. of Water	
4. ☐ Industrial	□ Re	ecovery	☐ Injection		13. Other	(specify):	,		
Was a chemical/bacter	iological-sampl	le submitted	to KDHE? 🔲	Yes 🛮 No	If yes, date sa	mple was submitte	ed:		
Water well disinfected?						- Cont			
8 TYPE OF CASING	USED: ☐ Steel	I PVC 🗆	Other	CASIN	NG JOINTS: [Gtued ☐ Clampe	d 🗌 Welde	d 🔲 Threaded	
Casing diameter 5 Casing height above land	in. to 1.7.6.	ft., Dian	neter	in. to	ft., Diamete	r in. to	.,, ft.		
Casing height above land	surface /bl	in.	Weight > 1/1	2. lbs./ft.	Wall thickness	is or gange No. 🖘	14		
The state of the s	3011000			torig vagar to to to to to	Wall thickire.	b of Budge 110 g. man.	# 2		
TYPE OF SCREEN OF	R PERFORATIO	ON MATERI	AL:						
TYPE OF SCREEN OF Steel State	R PERFORATIOnless Steel [ON MATERI □ Fiberglass	AL:		☐ Other	(Specify)			
TYPE OF SCREEN OF Steel Stair Brass Galv	R PERFORATIOnless Steel [anized Steel [ON MATERI ☐ Fiberglass ☐ Concrete ti	AL:	sed (open hole	☐ Other				
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR	R PERFORATIOnless Steel [vanized Steel [ATION OPENII	ON MATERI ☐ Fiberglass ☐ Concrete ti NGS ARE:	AL: PVC Ile None u	sed (open hole	Other	(Specify)			
TYPE OF SCREEN OF Steel Stail Brass Galv SCREEN OR PERFOR Continuous Slot	R PERFORATIOnless Steel [vanized Steel [ATION OPENII	ON MATERI ☐ Fiberglass ☐ Concrete ti NGS ARE: ☐ Gauze V	AL: PVC ile None u Wrapped To	sed (open hole	Other	(Specify)			
TYPE OF SCREEN OF Steel Stail Brass Galv SCREEN OR PERFOR Continuous Slot	R PERFORATIOnless Steel [vanized Steel [ATION OPENII	ON MATERI ☐ Fiberglass ☐ Concrete ti NGS ARE: ☐ Gauze V	AL: PVC ile None u Wrapped To	sed (open hole	Other	(Specify)			
TYPE OF SCREEN OF Steel Stail Brass Galv SCREEN OR PERFOR Continuous Slot	R PERFORATIOnless Steel [vanized Steel [ATION OPENII	ON MATERI ☐ Fiberglass ☐ Concrete ti NGS ARE: ☐ Gauze V	AL: PVC ile None u Wrapped To	sed (open hole	Other	(Specify)			
TYPE OF SCREEN OF Steel Stai: Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT	R PERFORATION PERFORATION OPENION OPEN	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC ile None u Wrapped To Yrapped Sa	sed (open hole rch Cut D w.Cut N ft., From	other of Oth	(Specify) [Other (Specify)) ft., From t., From	ft. to		
TYPE OF SCREEN OF Steel Stail Brass Galv SCREEN OR PERFOR Continuous Slot	R PERFORATION PERFORATION OPENING MAIN SHORT PERFORMENT OF THE PERFORMENT OF THE PERFORATION OF THE PERFORMENT OF THE PERF	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC ile None u Wrapped To rapped Sa ft. to	sed (open hole orch Cut D w.Cut N ft., From ft., From ntonite D	rilled Holes fone (Open Hole fit to therefore the control of	(Specify)	ft. to		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possible	R PERFORATION PERFORATION OPENII Slot Was Bernstein West Punched ED INTERVALULE Neat cem	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze v Wire W S: From	AL: PVC Ide None u Wrapped Sa In ft. to I	sed (open hole orch Cut D w.Cut N ft., From ft., From ntonite D	rilled Holes fone (Open Hole fit to therefore the control of	(Specify)	ft. to ft. to ft. to ft.		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank	R PERFORATION PERFORATION OPENII Slot Was Well with the second of the se	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC ile None u Wrapped Sa ft. to nent grout Be From Pit Privy	sed (open hole rch Cut D w.Cut N ft., From ft., From ntonite O ft. to	rilled Holes cone (Open Hole fit. to fit. to fit. from fit. from fit. from ther fit. from fit. from fit. from fit. from fit. from fit.	Other (Specify) Other (Specify) https://doi.org/10.1001/ ft., From ft. to	ft. to ft. to ft. to ft. to ft.		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Seywer Lines	R PERFORATION PERFORATION OPENII Slot White Mill Slot White Mill Slot White Mill Slot White Manager White Mana	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC ile None u Wrapped Sa ft. to nent grout Be From Pit Privy Sewage La	sed (open hole rch Cut D w.Cut N ft., From ft., From ntonite O ft. to	rilled Holes cone (Open Hole fit. to fit. to fit. to fit. to fit. to fit. from fit. fr	Other (Specify) Other (Specify) ft., From ft. From ft. to	ft. to ft. to ft. to ft. to ft.		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lines	R PERFORATION PERFORATION OPENII Slot White Mill Slot White Market Can White Mill Slot White Mil	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC Ile None u Wrapped Sa In ft. to In ft. t	sed (open hole rch Cut D w Cut N ft., From ft., From ntonite O ft. to	rilled Holes cone (Open Hole fit. to fit. to fit. from fit. from fit. from ther fit. from fit. from fit. from fit. from fit. from fit.	Other (Specify) Other (Specify) ft., From ft. From ft. to	ft. to ft. to ft. to ft. to ft.		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify)	R PERFORATION PERFORATION OPENII Slot White Mill	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From S: From tent Cem eral Lines S Pool page Pit	AL: PVC	sed (open hole rch Cut D w Cut N ft., From ft., From ntonite O ft. to	rilled Holes [one (Open Hole ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande	ft. to ft.		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?	R PERFORATION PERFORATION OPENING MILE STATE STA	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From Cem Cem Cem cral Lines S Pool page Pit	AL: PVC	sed (open hole rch Cut D w.Cut N ft., From ft., From ntonite O ft. to	rilled Holes [one (Open Hole ft. to ther ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify)	R PERFORATION PERFORATION OPENING MILE STATE STA	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From S: From tent Cem eral Lines S Pool page Pit	AL: PVC	sed (open hole rch Cut D w Cut N ft., From ft., From ntonite O ft. to	rilled Holes [one (Open Hole ft. to ther ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lit Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILE SITE STATES STEEL STATES STEEL STATES STEEL STATES STA	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From Cem Cem teral Lines Sepool page Pit CHOLOGIC I	AL: PVC ile	sed (open hole rch Cut D w.Cut N ft., From ft., From ntonite O ft. to	rilled Holes [one (Open Hole ft. to ther ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILE STEEL STE	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC	sed (open hole rch Cut D w.Cut N ft., From ft., From ntonite O ft. to	rilled Holes [one (Open Hole ft. to ther ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lit Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILES Steel ATION OPENING MILES STEEL A	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC Ide	sed (open hole rch Cut D w Cut N ft., From ft., From goon D ell? FROM	rilled Holes cone (Open Hole cone) ft. to cone ft. to content ft. to content ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILE SITE STATE STAT	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From Cem Hologic I	AL: PVC ile	sed (open hole rch Cut D w.Cut N ft., From ft., From ntonite O ft. to	rilled Holes cone (Open Hole cone) ft. to cone ft. to content ft. to content ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILE SITE STATE STAT	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	AL: PVC Ide	sed (open hole rch Cut D w Cut N ft., From ft., From goon D ell? FROM	rilled Holes cone (Open Hole cone) ft. to cone ft. to content ft. to content ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILE SITE STATE STAT	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From Cem Hologic I	AL: PVC Ide	sed (open hole rch Cut D w Cut N ft., From ft., From goon D ell? FROM	rilled Holes cone (Open Hole cone) ft. to cone ft. to content ft. to content ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILE SITE STATE STAT	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From Cem Hologic I	AL: PVC Ide	sed (open hole reh Cut D W.Cut N ft., From ntonite O ft. to	rilled Holes cone (Open Hole cone) ft. to	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORATION PERFORATION OPENING MILE SITE STATE STAT	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From Cem Hologic I	AL: PVC Ide	sed (open hole reh Cut D W.Cut N ft., From ntonite O ft. to	rilled Holes cone (Open Hole cone) ft. to	Other (Specify) Other (Specify) ft., From ft., From ft. to Abande Oil W	ft. to ft		
TYPE OF SCREEN OF Steel Stair Brass Galve SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well? 10 FROM TO 7 7 3 5 6 7 7 7 11 CONTRACTOR'S	R PERFORATION PERFORATION OPENING Steel MATION OPEN	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze N Wire W S: From	Wrapped Done use of the property of the proper	sed (open hole reh Cut D w.Cut N ft., From 5. ft., From mtonite O ft. to goon D FROM Notes:	rilled Holes rilled Holes fone (Open Hole fit to fit. to fit. to fit. from fit. from fit., From fit., From Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Specify) Other (Specify) ft., From ft., From Insecting Abande Oil W	ft. to ft.	ftftftftft	
TYPE OF SCREEN OF Steel Stair Brass Galve SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO 11 CONTRACTOR'S under my jurisdiction a	R PERFORATION on the street of	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze N Wire W S: From	Wrapped	sed (open hole rch Cut D W.Cut N ft., From ntonite O ft. to	rilled Holes rilled Holes rone (Open Hole fit to fit. to fit. from fit., From Livestock Pens Fuel Storage Fertilizer Storage roman fit. TO LI	Other (Specify) Other (Specify) ft., From ft. to Insecting Abanda Onl W THO. LOG (cont.) of the best of n	ft. to	ft. ft. ft. Well GINTERVALS or □ plugged ge and belief.	
TYPE OF SCREEN OF Steel Stair Brass Galvest Screen or Perfor Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well? 10 FROM TO 11 CONTRACTOR'S under my jurisdiction a Kansas Water Well Co	R PERFORATION on the street of	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From	Wrapped Down one use of the control	sed (open hole reh Cut D W.Cut N ft., From ntonite O ft. to	rilled Holes cone (Open Hole fit to fit. to fit. from fi	Other (Specify) Other (Specify) ft., From ft. to Insecting Abanda a Doil W THO. LOG (cont.) of the best of note the best of note the deted on (mo-day-yallow)	ft. to	or □ plugged ge and belief.	
TYPE OF SCREEN OF Steel Stair Brass Galve SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO 11 CONTRACTOR'S under my jurisdiction a	R PERFORATION PERFORATION OPENING ATION OPENING WILL SHOW WILL SHO	ON MATERI Fiberglass Concrete ti NGS ARE: Gauze V Wire W S: From Cem Cem Cem Cem Hologic I	AL: PVC ile None u Wrapped To Vrapped Sa Int. to Sa inent grout Perivy Sewage La Feedyard Distance from we LOG RTIFICATION This Wa	sed (open hole rch Cut Dow Cut Notes: This water Notes:	rilled Holes cone (Open Hole fone (Open Hole fone (Open Hole fone ft. to ft. to ft.	Other (Specify) ft., From ft. to Insecting Abands and Oil W THO. LOG (cont.) of the best of neted on (mo-day-y-	ft. to ft	or □ plugged ge and belief.	

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html