KOLAR Document ID: 1382288

WATER		ECORD Correction		WWC-5 e in Well Use				of Water			Well ID		
Original Record Correction C C I LOCATION OF WATER WELL:				Fraction			Resources App. No. Section Number			Township Numb		ge Number	
County:	1/4 1/4	1⁄4	1⁄4	¹ /4 T									
							treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
City: State:				ZIP:									
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL							ft. 5	Latitu	ıde:			(decimal degrees)	
SECTION			Depth(s) Groundwater Encountered: 1)				Longitude:(decimal degree						
Ν			2) ft. 3) ft., or 4) □ I WELL'S STATIC WATER LEVEL:										
			below land surface, measured on (mo-day-yr							Latitude/Longitude:)	
NW	- NE		D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.							WAAS enabled?			
		~		Land Survey Topographic Map									
W X	E	after hours pumping gp Well water was ft.						□ Online Mapper:					
				hours pumping gpm			6	6 Elevation:ft. Gro			Ground		
		Estimated Yield:gpm Bore Hole Diameter:in. to				ft and	Source: Land Survey GPS Topograp						
1 mi		Dore Hole E	in. to										
7 WELL WATER TO BE USED AS:													
1. Domestic:	ter Supply: well						Field Water Supply: lease						
Lawn &			6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID							used Uncased Geotechnical			
			8. Monitoring: well ID				12. Geothermal: how many bores?						
2. ☐ Irrigatio 3. ☐ Feedlot		emediation: well ID				a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water							
4. Industria			Extraction	13	13. ☐ Other (specify):								
4. Industrial Recovery Injection 13. Other (specify): Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? Yes No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)													
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:													
Continu	ious Slot	I Mill Slot	G	auze Wrapped		orch Cut				Other (Specify)			
		Key Punch						Open Ho		4 E	£4 4-	£,	
										ft., From ft. From			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. o ft. o ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.													
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft. to ft.													
Nearest sour			o n: Lateral Line	s 🗌 Pit Pi	rivv	Г	l Livest	tock Per	ns	□ Insectio	ide Storage		
Sewer L			Cess Pool	🗌 Sewa	ige La	goon [Fuel S	Storage		Abando	oned Water		
	$\Box \text{ Watertight Sewer Lines} \qquad \Box \text{ Seepage Pit} \qquad \Box \text{ Feedyard} \qquad \Box \text{ Fertilizer Storage} \qquad \Box \text{ Oil Well/Gas Well}$												
☐ Other (Specify) Direction from well? ft.													
10 FROM	TO		ITHOLO			FROM	Т			HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
T													
-						Notes:							
	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No													
under the business name of													
KS Departme										or each <u>constructed</u> we ka, Kansas 66612-136		785-296-3565.	
-		eks.gov/waterwel										A 82a-1212	