## KOLAR Document ID: 1528582

WATER WELL	<b>RECORD</b> Correction		<b>WWC-5</b> ge in Well Use		vision of Wat ources App. 1			Well ID		
<ul> <li>Original Record</li> <li>Correction</li> <li>Chang</li> <li>Chang</li> <li>LOCATION OF WATER WELL:</li> </ul>						Township Numbe		ge Number		
County:								R	$\Box E \Box W$	
Business: d Address: Address:					Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:					
City:		State:	ZIP:							
3 LOCATE WELL WITH "X" IN	f									
SECTION BOX:	Depth(s) G			Longitude:						
Ν	2) WELL'S S'		Dry Well	Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
			-yr)		GPS (unit make/model:)					
NW NE			-yr)		(WAAS enabled? $\Box$ Yes $\Box$ No)					
	Pump test d				□ Land Survey □ Topographic Map					
	aner	after hours pumping gpm Well water was ft.				Online Mapper:				
SW SE		after hours pumping gpm								
	Estimated Y		£	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
S	Bore Hole			boure	$\Box$ Other					
1 mile										
1. Domestic:										
☐ Household □ Lawn & Garden			11. Test Hole: well ID ☐ Cased ☐ Uncased ☐ Geotechnical							
2. Irrigation			D		12. Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical					
3. 🗌 Feedlot		☐ Air Sparge ☐ Soil Vapor Extrac				b) Open Loop  Surface Discharge  Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel       Steinless Steel       PVC       Other (Specify)         Brass       Galvanized Steel       None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Nearest source of possible contamination:       No potential source of contamination within 200 ft.         Septic Tank       Lateral Lines       Pit Privy       Livestock Pens       Insecticide Storage										
Sewer Lines										
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
Direction from well? ft.										
10 FROM TO		LITHOLO		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
							· · ·			
				Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction Kansas Water Well C	and was comp	leted on (n	no-day-year)	and	this record	is tru	e to the best of my	y knowledg	ge and belief.	
Kansas Water Well C under the business nat										
	Send one copy t	o WATER W	/ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										