

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>	<u>Mo 1/4 SW 1/4 SW 1/4</u>	<u>24</u>	T <u>23</u> S	R <u>1</u> EW

Distance and direction from nearest town or city street address of well if located within city?

610 Mockingbird Lane Newton

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #:	Application Number:
City, State, ZIP Code:	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>65</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered <u>13</u> ft. 2. <u>30</u> ft. 3. <u>65</u> ft.
	WELL'S STATIC WATER LEVEL <u>13</u> ft. below land surface measured on mo/day/yr <u>11-9-94</u>
	Pump test data: Well water was <u>20</u> gpm. Well water was <u>35</u> ft. after <u>7 1/2</u> hours pumping <u>65</u> gpm
	Bore Hole Diameter <u>8 1/2</u> in. to <u>35</u> ft., and <u>7 1/2</u> in. to <u>65</u> ft.
WELL WATER TO BE USED AS:	
1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 <u>Lawn and garden only</u> 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <u>X</u> No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>5</u> in. to <u>25</u> ft. Dia <u>40</u> in. to <u>65</u> ft. Dia			
Casing height above land surface <u>25</u> in., weight <u>40</u> lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut	
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:		11 None (open hole)	
From <u>25</u> ft. to <u>40</u> ft., From		From	
From <u>20</u> ft. to <u>65</u> ft., From		From	
GRAVEL PACK INTERVALS:		From	
From		From	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout intervals: From <u>0</u> ft. to <u>20</u> ft., From				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>W</u>			How many feet? <u>40</u> +	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>5</u>	<u>Clay</u>			
<u>5</u>	<u>9</u>	<u>Sand</u>			
<u>9</u>	<u>21</u>	<u>Clay</u>			
<u>21</u>	<u>35</u>	<u>Sand Med</u>			
<u>35</u>	<u>65</u>	<u>Blue Shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) <u>reconstructed</u> , or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) <u>11-9-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>120</u> This Water Well Record was completed on (mo/day/yr) <u>11-15-94</u> under the business name of <u>Backhus Drilling</u> by (signature) <u>Paul H. Backhus</u>
---