			TER WELL REC	ORD Form WWC-	5 KSA 82	a-1212 ID No				
1 LOCATIO	ON OF WA	TER WELL:	Fraction		Sect	ion Number	Township I	Number	Range Number	
County: Stafford SW 1/4			NE ¼ NW	1/4 4	<u>l</u>	т 23	S	R 12w E/W		
				address of well if loca						
ls of B	doppin.	Кe								
		NER: Kevi	n Alpers							
RR#, St. Ac			ii vibera				Board of A	ariculturo F	Division of Water Resources	
City, State,			V- C75	* 40			Application		ivision of water nesources	
• •		Huas	on, Ks. 675	14U	<u> </u>	(E E E A E	• •			
		-								
AN "X" II	N SECTION	A BOX:							ft.	
<u> </u>				-	-				08/22/02	
Ī	37	i							oumping gpm	
NWXNE Est. Yield60gpm: Well water wasft. after hours pumping										
Bore Hole Diameter 8 in. to									in. to ft.	
[®] W —	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								jection well	
7	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beld							other (Specify below)		
	sw -	- SE	2 Irrigation	4 Industrial 7	Domestic (lawn	n & garden) 10 l	Monitoring well			
1							A 1-	. 14		
<u>Y</u>	1			pacteriological sample su	omitted to Dep		Married Married Control of Contro		no/day/yrs sample was sub-	
E TYPE OF	S S	ASING USED:	mitted	E Wrought iron	9 Coporo	te tile	Well Disinfected		No ed Clamped	
				5 Wrought iron 6 Asbestos-Cement		specify below)			led	
1 Steel		3 RMP (SI	•							
2 PVC		4 ABS	20	7 Fiberglass					aded	
Blank casi	ng diamete	r2	in. to		in.	to	ft., Dia		in. toft.	
Casing hei	ight above !	land surface	i	n., weight $\dots 2$, 8 .		Ibs./ft	. Wall thickness	or gauge N	lo. Sch. 40	
TYPE OF	SCREEN (OR PERFORAT	TION MATERIAL		_7 PVC			bestos-cem	ent	
1 Steel 3 Stainless steel 5			5 Fiberglass			11 Otl	11 Other (specify)			
2 Bras	S	4 Galvaniz	zed steel	6 Concrete tile	9 ABS	3	12 No	12 None used (open hole)		
SCREEN	OR PERFO	DRATION OPE	NINGS ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (open hole)	
1 Conti	inuous slot	3 M	lill slot	6 Wire	wrapped	•	9 Drilled holes			
	ered shutte		ey punched	7 Torch	n cut				ft.	
SCREEN-	PERFORA ^T	TED INTERVA	LS: From	30 ft. to	50	ft., From .		ft. t	o ft.	
			From	ft. to		ft., From .		ft. t	o	
(GRAVEL P.	ACK INTERVA							o	
			From	ft. to		ft., From .		ft. t	o	
6 GROUT	MATERIA	L: 1 Neat o	ement	2 Cement grout	3 Benton	ite 4 O	ther			
									ft. to ft.	
					10 Livestoc				bandoned water well	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines				 7 Pit privy						
2 Sewer lines 5 Cess pool				12 Fertilize	•	Other (specify below)				
			•		8 Sewage lagoon			none - in pasture		
	_	er lines 6 Seep	page pit	9 Feedyar	9 Feedyard 13 Insectic			٠ بېډېد.	.44. 240.444	
Direction f						How many				
FROM	ТО		LITHOLOGIC LO	og	FROM	то	PL	UGGING II	NTERVALS	
0	4	top sand	1							
4	12	clay								
12	17	fine san	nd							
17	24	clay								
24	30	fine sar	nd							
30	50	sand and								
30	70	Sand and	r Araver							
									······································	
					 					
							· · · · · · · · · · · · · · · · · · ·			
				·						
									der my jurisdiction and was	
									owledge and belief. Kansas	
				This Water W						
				ell Service, I			nature) Ka			
lunder the h	HISIDASS DO									