WATER WE	LL RECORD	Form W	WC-5	Division of Water	Resources App. N	0.	
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number	
County: Stafford		1/4 NW 1/4 NW 1/4 SW 1/4		8	T 23 S	R 12 □E 🗹 W	
	Address of Well Location;		Global Positioning	System (GPS) in	nformation:		
from nearest	from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
2 1/2 South	2 1/2 South, 3/4 West of Hudson			Longitude: (in decimal degrees)			
·				Elevation:			
2 WATER W	ELL OWNER: Gayla F	\		Datum: WGS 84	I, ∐ NAD 83, ∟	NAD 27	
2 WATER WELL OWNER: Gayla Duncan RR#, Street Address, Box #: 435 NE 190th St				Collection Method: GPS unit (Make/Model:)			
City, State,	7ID C - 1-			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
ony, butto,	Huason	, KS 67545		Est. Accuracy:			
3 LOCATE WELL							
WITH AN "X	(" IN 4 DEPTH OF (COMPLETED WELL	L 40	ft.			
SECTION BO	OX: Depth(s) Groundwater Encountered (1)						
N	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr. 5-28-14						
	Pump test data: Well water was						
EST. YIELD. WAgpm. Well water was							
W Bore Hole Diameter 10 in. to .40 in. to							
Domostic D Foodlet D Oil fold water words D Downstein D Oil (C. 15 1.1.)							
SWSE Domestic Feediot On field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Stock							
Was a chemical/bacteriological sample submitted to Department? \(\subseteq \text{Yes} \) No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ✓ Yes ☐ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .5 in. to .40 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
From							
GRAVEL PACK INTERVALS: From 40 ft. to 15 ft., From ft. to ft.							
From ft. to ft. From ft to ft							
From							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None Direction from well Distance from well							
FROM TO	LITHOLOG		FROM			GGING INTERVALS	
0 3	Top soil		11(01)	. Diffio. Lo	C (cont.) or I LO	GOING INTERVALS	
3 12	Sandy tan clay				,		
12 37	Sand & gravel- med to	large					
37 40	Tan clay						
		27-77-1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .5-28-14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 6-13-14							
under the business name of Rosencrantz- Bemis Ent Inc by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							