unty:		NTT	MILI CIT	1 553	tion Number	Township N		Range Num	
	Stafford	NW 1/4	NW 1/4 SE	/4	36	T 23	S	R 13W	E/W
tance and direction	n from nearest town o	or city street add	dress of well if located	d within city?					
2 E of St	John, Kansas	;							
WATER WELL O		J. Bliss				· · · · · · · · · · · · · · · · · · ·			
#, St. Address, B	•					Board of A	Agriculturo I	Division of Water F	Bacource
•			(757)				•	Division of Water !	riesource
, State, ZIP Code			s 67576						
OCATE WELL'S AN "X" IN SECTION	LOCATION WITH 4								
	N De		ater Encountered 1.						
I	l W	ELL'S STATIC V	WATER LEVEL	22н. ь	elow land sui	face measured or	mo/day/yr	10/4/95	
1		Pump	test data: Well wate	rwas	ft. a	fter	. hours ou	ımpina	apn
NW	- NE _{Ee}		gpm: Well wate						
!			er. 77./.8in. to .				•		
w - -	-								
	X W			5 Public water		8 Air conditioning		•	
sw		1 Domestic				_		Other (Specify bel	
J - 3,;;		2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring wel	l,		
1 i	l Wa	as a chemical/ba	acteriological sample s	submitted to De	epartment? Ye	es <u>No</u>	; If yes	, mo/day/yr sample	was su
	S mir	tted			Wa	ter Well Disinfecte	d? Yes	No	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JO	INTS: Glue	d Clamped	1
1 Steel	3 RMP (SR)		6 Asbestos-Cement					ed	
2 PVC	4 ABS		7 Fiberglass			• <i>•</i>		aded	
2 PVC	4 ABS	. 68	/ Fiberglass			# D!-	11116	aucu	
nk casing diamete	er	12	π., Dia	το . Λ		π., Dia		и ю 160 р.s.i	π
ang neight above	land surface		n., weight ホキゴデ		100./	ft. Wall thickness	or gauge N	o	·
PE OF SCREEN	OR PERFORATION M	MATERIAL:		7_ <u>PV</u>			estos-ceme		
1 Steel	3 Stainless st	eel	5 Fiberglass	8 RM	IP (SR)	11 Oth	er (specify)		
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AB		12 Nor			
REEN OR PERFO	DRATION OPENINGS	ARE:	5 Gauze	ed wrapped		8 Saw cut		11 None (open l	hole)
1 Continuous s				wrapped		9 Drilled holes			. ,
2 Louvered shu			7 Torch	• •			٨		
		punched	68ft. to						
HEEN-PEHFOHA	TED INTERVALS:				π., Fro	n	π. τ	0	<i></i> π
							_		_
			ft. to		ft., Fro	m <u></u>			
GRAVEL P	ACK INTERVALS:		5.8 ft. to		ft., Fro	n	ft. t	54	ft
GRAVEL P.	ACK INTERVALS:	From	5.8 ft. to ft. to	7.8	ft., Fro ft., Fro ft., Fro	n	ft. t	o54	ft ft
GROUT MATERIA	AL: 1 Neat cem	From From	58 ft. to ft. to Cement grout	78 3 Bento	ft., From tt., From ft., From nite 4	m 21 m 21 Other	ft. t	6054 60	ft ft
GROUT MATERIA		From From	58 ft. to ft. to Cement grout	78 3 Bento	ft., From tt., From ft., From nite 4	m 21 m 21 Other	ft. t	6054 60	ft ft
GROUT MATERIA	AL: 1 Neat cem	From 2 to	58 ft. to ft. to Cement grout	78 3 Bento	ft., From tt., From tt., From tt., From tt., From tt., From tt.	m 21 Other	ft. t	6054 60	ft ft ft
GROUT MATERIA out Intervals: Front is the nearest	AL: 1 Neat cemom	From 2 to 21 to tanination:	58 ft. to ft. to Cement grout ft., From 5	78 3 Bento	ft., Froi ft., Froi nite 4 to 58	n 21 m Other	ft. t	o 54 o	ft ft ft
GROUT MATERIA out Intervals: Fronat is the nearest s 1 Septic tank	AL: 1 Neat cemom0ft. source of possible cor	From 2 to 21 ntamination:	58 ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	78 3 <u>Bento</u> 4 ft.	ft., Froi ft., Froi nite 4 to58 10 Lives	m 21 Other ft., From tock pens	ft. t	o54 ft. to	ftft
GROUT MATERIA out Intervals: Front is the nearest s 1 Septic tank 2 Sewer lines	AL: 1 Neat cemom0ft. source of possible cor 4 Lateral li 5 Cess po	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago	78 3 <u>Bento</u> 4 ft.	ft., From tt., From tt., From tt., From tt., From tt., From tt., 58 to58 to10 Lives 11 Fuel 12 Fertili	m 21 Other	14 A	o54	ftft
GROUT MATERIA out Intervals: Fro nat is the nearest of 1 Septic tank 2 Sewer lines 3 Watertight se	AL: 1 Neat cemom0ft. source of possible cor	From	58 ft. to ft. to Cement grout ft., From 5	78 3 <u>Bento</u> 4 ft.	ft., Froi ft., Froi nite 4 to 58 10 Lives 11 Fuel 12 Fertili	on 21 Other ft., From tock pens storage zer storage ticide storage	14 A	o54 ft. to	ftft
GROUT MATERIA out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se ection from well?	AL: 1 Neat cem om0ft. source of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage	From 21 to 21 that amination: ines	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
GROUT MATERIA ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO	AL: 1 Neat cem om0ft. source of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 <u>Bento</u> 4 ft.	ft., Froi ft., Froi nite 4 to 58 10 Lives 11 Fuel 12 Fertili	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	o54	ftft
GROUT MATERIA ut Intervals: Fr at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well?	AL: 1 Neat cem om0ft. source of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage	From 21 to 21 that amination: ines	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
GROUT MATERIA out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se section from well? ROM TO	AL: 1 Neat cem om0ft. source of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage	From 21 to 21 that amination: ines	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
GROUT MATERIA out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24	AL: 1 Neat cem om 0	From 21 to 21 that amination: ines	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
GROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53	AL: 1 Neat cem om 0	From 21 to 21 that amination: ines	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
GROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
GROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53	AL: 1 Neat cem om 0	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
GROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftft
at Intervals: Frat is the nearest state is the nearest state at Sewer lines 3 Watertight selection from well? SOM TO O O 3 24 24 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	fifi
at Intervals: Frat is the nearest state is the nearest state at Sewer lines 3 Watertight selection from well? SOM TO O O 3 24 24 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	fifi
BROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftftft
GROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftftft
BROUT MATERIA at Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight selection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	fifi
GROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	fifi
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftftft
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftftft
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	fifi
GROUT MATERIA but Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58	AL: 1 Neat cem om	From	58 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard	78 3 Bento 4 ft.	ft., From tt., F	on 21 Other ft., From tock pens storage zer storage ticide storage ny feet?	14 A 15 O In f	tt. to	ftftft
GROUT MATERIA out Intervals: Froat is the nearest son is the nearest son is septic tank 2 Sewer lines son well? ROM TO 0 3 3 24 24 53 53 58 58 78	AL: 1 Neat cemom. 0 ft. source of possible cor 4 Lateral li 5 Cess power lines 6 Seepage Top soil Clay Sand Clay Sand and gra	From	5.8 ft. to ft. to Cement grout ft., From 5 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento 4 ft.	ft., Froinite 4 to58 10 Lives 11 Fuel 12 Fertill 13 Insect How ma	m 21 Other	14 A 15 O 16 O In f	o54	fi
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58 58 78	AL: 1 Neat cem om 0	From	5.8 ft. to ft. to ft. to ft. to ft. to ft. rom 5 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento 4 ft.	ft., From tt., From t	n 21 Other	ft. t ft. t 14 A 15 O 16 O In f	o	f
BROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 3 24 24 53 53 58 58 78 CONTRACTOR'S pleted on (mo/da	AL: 1 Neat cem om 0	From Prome 2 to 21 to 21 to 10 to 21 to 10	5.8 ft. to ft. to ft. to ft. to ft. to ft. rom 5 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento 4 ft.	ft., From tt., From t	n	ft. t ft. t 14 A 15 O 16 O In f	o	fi
BROUT MATERIA ut Intervals: Fra at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se section from well? ROM TO 0 3 3 24 24 53 53 58 58 78 CONTRACTOR'S pleted on (mo/da er Well Contractor	AL: 1 Neat cem om 0	From	58 ft. to ft. to ft. to ft. to ft. to ft. rom 5 7 Pit privy 8 Sewage lago 9 Feedyard OG N: This water well was This Water Well	3 Bento 4 ft. FROM FROM as (1) constru	ft., From tt., From t	n 21 Other ft., From tock pens storage zer storage ticide storage ny feet? Pi	ft. t ft. t 14 A 15 O 16 O In f	o	f

WATER WELL RECORD Form WWC-5 KSA 82a-1212