


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County <u>Stafford</u>	Fraction <u>NE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	Section Number <u>33</u>	Township Number T <u>23</u> S	Range Number R <u>13</u> E <u>W</u>
---	---	-----------------------------	----------------------------------	--

Distance and direction from nearest town or city street address of well if located within city?  
112 & 113 West 4th. St John, KS.

2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code	<u>Jim's AMOCO</u> <u>112 W. 4th</u> <u>St John, Ks.</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL <u>28'</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <u>18'</u> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>17.93</u> ft. below land surface measured on mo/day/yr <u>5-8-98</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>8 1/2"</u> in. to <u>28'</u> ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>No</u>
---	---

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Blank casing diameter <u>2.375</u> in. to <u>8'</u> ft. Dia. in. to ft. Dia. in. to SDR <u>13</u> Casing height above land surface <u>Flush Mt.</u> in., weight lbs./ft. Wall thickness or gauge No. <u>Sch 40</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes SCREEN-PERFORATED INTERVALS: From <u>28'</u> ft. to <u>8'</u> ft. From ft. to ft. GRAVEL PACK INTERVALS: From <u>28'</u> ft. to <u>6'</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.
---

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <u>6'</u> ft. to <u>3'7"</u> ft. From <u>3'7"</u> ft. to <u>0'</u> ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>North North East</u> How many feet? <u>200'</u>
--

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Grass-dk brn sandy clay, moist no odor firm			
3	5.5	Gray brn clay, stiff, no odor moist oxide staining & some mottling			
5.5	10.5	Red brn clayey sand grading to sand fine-med grained, damp, no odor			
10.5	28	Red brn fine-coarse sand w/ pebble sized gravel, dry, no odor Wet at 18' no odor			

*F.H. OK'd by Don Taylor*

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) <u>5-8-98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>539</u> This Water Well Record was completed on (mo/day/yr) <u>5-11-98</u> under the business name of <u>JB Environmental Drilling</u> by (signature) <u>James Buber</u>
---