			_	WWC-5		vision of Wate			W. U.ID			
		Correction [e in Well Use		ources App. N		schin Numb	Well ID	ge Number		
		VATER WELL:	•	Fraction		ction Numbe 7	1	nship Numbe 23 S				
County.												
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located direction from nearest town or intersection): If at own												
	P.O. Box											
Address:					4 3/4 north	& 2 1/2 wes	st of St. J	ohn, Ks.				
City:	St. John	Sta	ate: Ks.	ZIP: 67576								
3 LOCAT		4 DEPTH O	F COM	IPLETED WELL:	L:80 ft. 5 Latitude:					(decimal degrees)		
1) WITH X IN				Encountered: 1) ft.			Longitude: 98.7937 (decimal degrees)				
	N N	2)	ft. 🤾	3) ft or 4)	Dry Well	Horizo	ntal Datum	ı: □ WGS 84	■ NAD	83 🗆 NAD 27		
WELL'S STATIC WA				TER LEVEL:	3 ft.		Source for Latitude/Longitude:					
1 1				. measured on (mo-day			GPS (unit make/model:)					
NW	NWNE □ above land surface. Pump test data: Well w						(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
l w	E			s pumping								
1 1 1	Well wa				ater was ft.			Onnie Wapper				
SWSE after hours				s pumping								
Estimated Yield:				gpm		6 Elevation:ft. Ground Level TOC						
!	S	Bore Hole Dia	meter:	10 in. to80	Tel dila				rvey GPS Topographic Map			
1 mile in. to ft.												
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID												
☐ House					10. Oil Field Water Supply: lease							
. —] Household 6. ☐ Dewatering: how many wells 1 Lawn & Garden 7. ☐ Aquifer Recharge: well ID											
	Livestock 8. Monitoring: well ID							w many bores				
2. 🔲 Irrigat							a) Closed Loop					
	3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor E									Inj. of Water		
4. Industrial Recovery Injection 13. Oth								/) :				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? ■ Yes □ No												
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other												
Casing diameter 5 in. to 80 ft. Diameter in. to ft. Diameter in. to ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From .80												
GRAVEL PACK INTERVALS: From 80 ft. to 20 ft., From ft. to ft., From ft. to ft., From ft. to ft.												
9 GROUT MATERIAL: Neat coment Cement grout Bentonite Other												
Grout Intervals: From												
Nearest source of possible contamination: □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage												
Sewer			s Pool	s ☐ Pit Privy ☐ Sewage La		Livestock Per Fuel Storage		☐ Insectic☐ Abando		Well		
	ight Sewer Li					Fertilizer Stor		Oil Wel		V CII		
Other (Specify) None												
Direction fro				Distance from w								
10 FROM	ТО		HOLOG	GIC LOG	FROM	TO	LITHO. LO	OG (cont.) or	PLUGGING	G INTERVALS		
0		Top soil										
3			rown sandy clay			ļ						
5		cray sandy clay										
18			Gray sandy clay w/small/medium gravel									
35	78		and & gravel-small, medium,coarse &									
70	00		clean									
78	80	Yellow clay			Notes:							
					_							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
				no-day-year) .12-5-1								
Kansas Wa	ater Well Co	ntractor's Licens	se No1	34 This W	ater Well Re	cord was con	npleted on	(mo-day-ye	ar) .12 . 1.2			
under the b	ousiness nan	ie of Rosencra	ntz-Ber	mis Ent.	S	ignature).cn.c.	Chip	•			
				ch constructed well to: Ka								
1		•		66612-1367. Mail one to			ne for your re	ecords. Telepho				
Visit us at hit	n www.kdhek	s.gov/waterwell/inde	:x.html		KSA 82a-1.	414			Revised	7/10/2015		