DOCATION OF WATER WELL Fraction Change in Well Use Section Number County Stafford County Stafford N. SW / NW / SW / NW / SW / SW 33	WATER WELI			WWC-5		vision of Water			1	
Variety Stafford Variety Varie				e in Well Use				Well ID		
2 WELL OWNER: Last Name. Dick Prost Roger Business Address 510 Nutting St Address 510 Nutting St State: KS ZIP 67576 State: KS ZIP 67			L ։							
Beainess: Address: 510 Nutting St. St. John, KS St. John State: KS ZIP: 67576 Depth 14 No. 18	County: Staffor	rd		1/4 SW 1/4 NW 1/						
Address: \$10 Nutting St, St. John State: KS ZIP: 67578 1	2 WELL OWNER: Last Name: Dick First: Roger Street or Rural Address where well is located (if unknown, distance and									
Address St. John Soute: KS ZIP: 67576 Soute: ZIP: 67576 Sou					direction from nearest town or intersection): If at owner's address, check here:					
Succised State Succis	Address: 510 Nutting St 510 Nutting St St John KS									
3 LOCATE WELL WITH Y'S IN SECTION BOX: N SCOTION BO										
WELL WATER TO BE USED AS: Deputies Groundented to Note the supply well ID Deputies Groundented to Note the supply of the suppl	2 LOCATE WELL									
SECTION BOX: Continued to the product of the pro		4 DEPTH OF COMPLETED WELL:								
Survey S						Longitu	ıde: <u></u>	<u></u>	.(decimal degrees)	
Below land surface, measured on (mo-day-yr)\$-2.18										
NW NE	<u> </u>					Source for Latitude/Longitude:				
Pump test data: Well water was ft after. hours pumping gpm after. hours pumping gpm after. hours pumping gpm catimated Yield: gpm gpm gpm catimated Yield: gpm										
Substitute Sub	NWNE									
S. W. SE	w	1 1 -								
Section Sect	1 1. 1 1 1	1 - 1					то таррог.			
Source Land Survey GPS Topographic Map	SW SE	after	hour	s pumping	. gpm					
TweLL WATER TO BE USED AS: Domestic:		Estimated Y	ield:	enm						
mile	_	Bore Hole D	iameter:	10 in to 60	ft. and					
Lown & Garden Case		1		in. to	ft.		Uther			
Household 6. Dewatering: how many wells? 11. Test Hole: well ID Cased Uncased Geotechnical Livestock 8. Monitoring: well ID 2. Geothermal: how many berors? a Closed Loop Horizontal Vertical 3. Geothermal: how many berors? a Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify): Was a chemical/bacteriological sample submitted to KDHE? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water well disinfected? Yes No 15 yes, date sample was submitted: Water was submitted: No No No No No No No N	1									
Livestock S. Montioning: well ID 12. Gased Uncased Geotechnical 1. Living 1.	1									
Divestock Monitoring: well ID 12. Geothermal: how many bores? 12. Geothermal: how many bores? 13. Globed Loop Horizontal Vertical 13. Globed Loop Horizontal Vertical 14. Globed Loop Horizontal Vertical 15. Globed Loop Surface Discharge Inj. of Water 15. Globed Loop Surface Discharge Inj. of Water 15. Globed Threaded Notes 15. Globed Threaded Notes 15. Globed Threaded Threaded Losing diameter 15. In to 16. Globed Surface 18. In Neight SOR-26. Ibs/ft Wall thickness or gauge No. SOR-26. Ibs/ft Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Steel Stainless Steel Fiberglass Notes Notes Sorgen Sorge	<u>. – </u>									
2										
Air Sparge	. —									
A										
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No No					DATIGOT					
Water well disinfected? Yes No										
STYPE OF CASING USED: Steel DVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel	Water well dishifteded: 155 1100									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel	Cosing Homester 5 in to 60 A Discrete CASING JOINTS: Glued Clamped Welded Inreaded									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel	Casing bright above land surface 18 in Weight SDR-26 lbs /# Wall thickness or gauge No.									
Steel Stainless Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Stot Mill Stot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Standard Steel Continuous Stot Mill Stot Gauze Wrapped Saw Cut None (Open Hole) Continuous Stot Mill Stot Gauze Wrapped Saw Cut None (Open Hole) Continuous Stot Mill Stot Gauze Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 60, ft. to 40, ft., From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 60, ft. to 20, ft., From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 60, ft. to 20, ft., From ft. to ft. From ft. to ft. Grout Intervals: From ft. to ft. From 20, ft. to 60, ft. From ft. to ft. Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Watertight Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines South Direction from well? South Distance from well? South Distance from well? South Direction from well? South Distance from well? South Direction from well? South Distance from well? South Direction from well? Direction from well? South Direction from well? South Direction from well?	TYPE OF SCREEN OR PERFORATION MATERIAL.									
Brass Galvanized Steel Concrete tile None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 60 ft. to 40 ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 60 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 60 ft. to 20 ft. From ft. to										
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 50										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From	☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From f. to ft. From 20 ft. to ft. From ft. to ft. Nearest source of possible contamination: Septic Tank Lites Pit Privy Livestock Pens Insecticide Storage Abandoned Water Well Sewer Lines Seepage Pit Feedyard Freedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Shed. Direction from well? South Distance from well? 15ft ft. 10 FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC COG FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC L	SCREEN-PERFORATED INTERVALS: From									
Grout Intervals: From										
Nearest source of possible contamination:	9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Septic Tank										
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Other (Specify)	·									
Watertight Sewer Lines										
Other (Specify) Direction from well? South Distance from well? 15ft ft. 10 FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS 0 3 Top soil 3 5 Brown clay 5 22 Sand & gravel- med coarse w/ some clay 22 60 Sand & gravel- med clean coarse Notes: Notes: Notes										
Direction from well? South Distance from well? 1.5ft ft. 10 FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS 0 3 Top soil 3 5 Brown clay 5 22 Sand & gravel- med coarse w/ some clay 22 60 Sand & gravel- med clean coarse Notes: Notes: 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, preconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 5-2-18							ш ₀ 0		•	
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS 0 3 Top soil 3 5 Brown clay 5 22 Sand & gravel- med coarse w/ some clay 22 60 Sand & gravel- med clean coarse Notes: 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 5-2-18	Direction from well?	South	• • • • • • • • • • • • • • • • • • • •	Distance from	well? 15ft		ft.			
0 3 Top soil 3 5 Brown clay 5 22 Sand & gravel- med coarse w/ some clay 22 60 Sand & gravel- med clean coarse Notes: 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or □ plugged under my jurisdiction and was completed on (mo-day-year)5-2-18									NG INTERVALS	
5 22 Sand & gravel- med coarse w/ some clay 22 60 Sand & gravel- med clean coarse Notes: 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo-day-year) 5-2-18										
Sand & gravel- med coarse w/ some clay 22 60 Sand & gravel- med clean coarse	3 5									
Notes: Notes: No	5 22		el- med	coarse w/ some cla	зу				PRIVATE AND	
Notes: 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo-day-year)5-2-18								7,111		
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, preconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 5-2-18										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, preconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 5-2-18										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, preconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 5-2-18					Notes:					
under my jurisdiction and was completed on (mo-day-year) 5-2-18										
under my jurisdiction and was completed on (mo-day-year) 5-2-18										
under my jurisdiction and was completed on (mo-day-year) 5-2-18	11 CONTRACTO	OR'S OR LAND	OWNER	'S CERTIFICATIO	N: This wa	ter well was	constructed, reco	onstructed	, or plugged	
under the business name of Rosencrantz- Bemis Ent Jnc Signature	under my jurisdicti	on and was comp	leted on (mo-day-year) 5-2	-1.8 ar	nd this record is	true to the best of m	y knowle	dge and belief.	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.	Kansas Water Wel	l Contractor's Lic	ense No.	134 This V	Vater Well R	ecord was com	pleted on (mo-day-y	ear)5 . 1	.5 . .18	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.	under the business	name ofROSE	ncrantz-	.⊔emis.⊨nt.lnc	······································	SignatureC	some due	lotor CVIII	2 Section	
Visit us at bury (Avecual ducks on vivater well/index htm) KSA 82a-1212 Revised 7/10/2015	Mail I white co	opy along with a fee of	DOLOU TOR C	ach constructed well to: K	to Water Wall C	on of ricain and t	e for your records. Teleph	aici, UW 13	6-5524	
	Visit us at http://www.il	dheks onv/waterwall/	indev html	6 JUUI 2-13U/. WINII UNE	KSA 82a-	1212	is to Jour records. Telepi	Revise	d 7/10/2015	