29	5 64	165 W.A	ATER WELL REG	CORD	Form WWC	C-5 KS	A 82a-1212	ID No				
1 LOCAT	ION OF W	ATER WELL:	Fraction	30.12			Section Num		Township	Number	Range Numbe	er 💮
County:	Pawnee		SW 1/4	· NW	/ 1/4 N	W 1/4	21		т 23	s	R 15	E (W)
		n from nearest t	town or city stree	t addres	s of well if loc	ated within	city?					
Approxir	nately 5 3/4	miles north and	d 1 mile west of M	facksville	е							
2 WATER	WELL OV	VNER: Robb Sui	ita.									
RR#. St. A	Address. Bo	1233 Hook	rter e						Board of A	ariculture. D	ivision of Water Re	esources
	, ZIP Code		e, KS 67557						Application	-		
3 LOCATI	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPL	ETED WELL	62	ft. EL	EVATI	ON: unknown			
AN "X"	IN SECTIO	N BOX:	Depth(s) Grou					ft. 2				
 	N	· · · · · · · · · · · · · · · · · · ·	WELL'S STATIC				pelow land su	 ırface r	neasured on m	o/day/yr 2-2	21-03	•
	i	i									umping	apm
^	-NW	NE									umping	
		1									in. to	
∰ w	' +								Air conditioning		1 Injection well	
	i	1	1 Domestic			Oil field wa			Dewatering		2 Other (specify below	ow)
-	- sw	SE							-			 ,
	-		2 Irrigation					-	Monitoring wel		Stock Well	
-	·	, '	Was a chemical/bacteriological sample submitted to Department? YesNoIf yes, mo/day/yrs sample witted Water Well Disinfected? Yes No									was sub
5 TYPE C	DE DI ANIZ	CASING USED:	mitted	= 147		o Con	crete tile	vater v				
					ight iron	Ū	er (specify belo	····	CASING J		d Clamped	
1 Steel 2 PVC		3 RMP (SR)			stos-Cement		• •	-				
-		4 ABS		7 Fibe	-						aded	
L	sing diamete		in, to	50	ft., Dia				ft., Dia		in. to	f
Casing h	eight above	land surface	24	in., weig	ht	2.36		lbs./ft.	Wall thickness	s or gauge No	o <u>.214</u>	
TYPE O	F SCREEN	I OR PERFORA	TION MATERIAL	L:		7) PV				bestos-cemen		
1 Stee	əl	3 Stainless	steel	5 Fibe	erglass	8 RM	P (SR)		11 O	her (specify)		
2 Bras	SS	4 Galvanizo	ed steel	6 Cor	ncrete tile	9 ABS	3		12 No	one used (oper	ı hole)	
SCREEN	OR PERF	ORATION OPE	NINGS ARE:		5 Gauzed w	rapped			8 Saw cut	11	None (open hole)	
1 Cor	ntinuous slot	3	Mill slot		6 Wire wrap	ped			9 Drilled holes	;		
2 Lou	uvered shutte	er 4	Key punched		7 Torch cut				10 Other (spec	fy)		ft.
SCF	REEN-PERFOR	RATED INTERVALS:	From	50	ft. to	60	ft., I			ft. to)	ft.
			From		ft. to		ft., I	rom _		π. tc)	
	GRAVE	L PACK INTERVA	LS: From	45	ft. to	63		rom _		ft. to)	ft.
			From		ft. to		ft., I	rom _		ft. to)	ft.
6 GRO	UT MATER	RIAL: 1 Neat	cement 2 Cem	ent grout	3 Bento	nite		4 Ott	ner Bentonite	Holeplug		
		Sand	<i>.</i>			_						
	tervals: Fro				ft., From	0				42	ft. to 45	ft.
		•	ble contamination	n:			10 Liveston	•			andoned water well	
	tic tank		Lateral lines		7 Pit privy		11 Fuel sto	rage		15 Oil	well/Gas well	
1	er lines		Cess pool		8 Sewage I	_	12 Fertilize	_			her (specify below)	
3 Wat	ertight sewer	lines 6	Seepage pit		9 Feedyard		13 Insection	ide stor	age	None kr	iown	
Direction	from well?						How	many fe	eet?			
FROM	ТО		LITHOLOGIC LO)G		FROM	ТО		PL	UGGING IN	TERVALS	
0	7	Topsoil		,								
7	49	Clay, brown,	sandy soft					_	· · · · · · · · · · · · · · · · · · ·			·
49	63	 	avel, medium to v	ery fine								
		Ourid drid gre	aver, mediam to v	Ciy IIIIC	 							
		1								• •		
-								+				
		 						-				
					•			+				
		+						+		<u> </u>		
		+		-								
		+										
ļ		 										
		 						-				
	ļ	+						_				
		1	·									
CONTRA	ACTOR'S OF	R LANDOWNER'S	CERTIFICATION:	This water	er well was (1)	constructed), (2) reco	nstructe	d , or (3) plu	gged und	der my jurisdiction and	d was
1	on (mo/da			2-21-03							owledge and belief.	
Water Wel	I Contracto	r's License No	185			Vell Record			(mo/day/yr)	1.	2-26-0 32	
under the	business na	ame of Clarke V	Vell & Equipment,	Inc.				by (sig	nature)	ud W		
					RINT clearly. Pleas	e fill in blanks, i	underline or circle	the corre			Kansas Department of He	alth and
			66620-0001. Telephone									