5	MITI	4#1	· - +	WELL RECORD	Form WWC-5			
	1	FER WELL:	Fraction		_	tion Number	Township Number	Range Number
	PAWA		12512		VE 1/4	16	T 23 S	R /3 EAW
Distance ar			-	dress of well if locate	ed within city?			
, 20			SUUTHIL					
WATER	WELL OW	NER: US	IT DAILLI	NG CO.INC	c. E.	imer.	SMITH PAULI	EE, KS
RR#, St. A	ddress, Bo	×# 200 £	FIRST 5	411E 500			Board of Agriculture	e, Division of Water Resourc
	ZIP Code		UTA, K9 6				Application Number	· T82-77
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF CO	MPLETED WELL	7.5	ft. ELEVAT	ION:	
' AN "X"	IN SECTIO	N BOX:	Depth(s) Groundw	vater Encountered	1	プ ft. 2.	<i>. F. O</i> ft.	. 3
i l	<u> </u>	!						yr1-7682
<u> </u>	- NW	NE						pumping gpr
	1	1	Est. Yield	gpm: Well wat	ter was	ft. af	ter hours	pumping gpr
• .,, L	Ì	X	Bore Hole Diamet	er. フ. 🅢 🐉in. to		ft., a	nd 🗠	.in. to
₹ ⊬	ı	<u> </u>	WELL WATER TO	D BE USED AS:	5 Public wate	r supply	3 Air conditioning 1	1 Injection well
- I	1	1	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 1	2 Other (Specify below)
-	- SW	SE	2 Irrigation	4 Industrial				
	-		1					es, mo/day/yr sample was su
L L	'		mitted	actoriological campio	Submitted to Di		er Well Disinfected? Yes	• • •
TYPE	E DI ANIZ (CASING USED:		E Mrought iron	9 Conor			No ued 从"☆" Clamped
_				5 Wrought iron	8 Concre			
1 Ste		3 RMP (S		6 Asbestos-Cement	9 Otner	(specify below	•	elded
2 PV	-	4 ABS		,7 Fiberglass				readed
								in. to ft
Casing heig	ght above la	and surface		in., weight	263	∮ lbs./fi	t. Wall thickness or gauge	No 2.1.9
TYPE OF S	SCREEN O	R PERFORATIO	N MATERIAL:		7 PV	C	10 Asbestos-ce	ment
1 Ste	el	3 Stainles	s steel	5 Fiberglass	8 RM	IP (SR)	11 Other (speci	fy)
2 Bra	SS	4 Galvania	zed steel	6 Concrete tile	9 AB:	•	12 None used (••
		RATION OPENIN			zed wrapped	-		11 None (open hole)
_	ntinuous sk		fill slot		wrapped		9 Drilled holes	11 None (open noie)
	vered shut		ey punched	7 Torcl			10 Other (specify)	
SCHEEN-P	EHFOHAII	ED INTERVALS:	_	. J. J tt. to .		ft., From	1	. to ff
			From	ft. to .				. tofi
G	RAVEL PA	CK INTERVALS:	From	. .7. ft. to .		ft., From	1 ft	. tofi
			From	ft. to		ft., From	<u>ft</u>	. to fi
GROUT	MATERIAL			! Cement grout	3 Bento		Other	
Grout Inten	vals: Fro	m	.ft. to ./	ft., From	ft.	to	ft., From	ft. to
What is the			contamination: /y			10 Livesto		Abandoned water well
1 Sep	otic tank	4 Later	ral lines	7 Pit privy		11 Fuels	torage 15	Oil well/Gas well
2 Sev	ver lines	5 Cess	loog	8 Sewage lag	oon		-	Other (specify below)
3 Wa	tertiaht sew	er lines 6 Seep	•	9 Feedyard	•		cide storage	
Direction from	_		g- p	5 · •••ya.e		How man	. •	
FROM	TO		LITHOLOGIC L	OG	FROM	TO		OGIC LOG
/)		S Al sin	Zittiozodio L		111014	''	LITTIOLO	odio cod
5	71	SHAD	100000000000000000000000000000000000000	·				
	30		<i>s</i>					
30 40	40	GRAVE	<u> </u>					
	60	CLAY						
50	75	GRAVE	L,					
						<u> </u>		
								· · · · · · · · · · · · · · · · · · ·
								
	····							
	1							
CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICATIO	N: This water well w	vas (1) <u>constru</u> e	cted, (2) recor	structed, or (3) plugged u	nder my jurisdiction and wa
- completed o	on (mo/day	year)						
-	-	s License No	389	This Water V	Vell Record wa	s completed o	n (mo/day/yr) 2 /	2-82
				M WELL S				W.
NSTRUCT	IONS: Use	typewriter or ball	point pen. Pl FASF	PRESS FIRMI Yar	nd PRINT clearly	v. Please fill in	blanks, underline or circle	the correct answers. Send to
hree copies	s to Kansas	Department of He	ealth and Environme	ent, Division of Enviro	nment, Environr	nental Geology	Section, Topeka. KS 6662	0. Send one to WATER WEL
NA/NED or	nd retain or	e for your record	ds.		.,		,	