WATI	ER WE	LL RECORD	Form W	/WC-5	Division of Water Resources App. No.
	CATION Inty: Par	N OF WATER WELL: wnee	Fraction <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> NE	E ¼ NE ½	Section Number   Township No.   Range Number
		Address of Well Location;			Global Positioning System (GPS) information:
		town or intersection: If at o			Latitude: (in decimal degrees)
1	6 east c		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Longitude: (in decimal degrees
į '''	U Gasi U	1 200K			Elevation:
	TERR II	TOTAL ON A PER			<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
1		ELL OWNER: Bert Sci			Collection Method:
		Address, Box #: 1061 E.	Rd.		GPS unit (Make/Model:)
City	y, State, 2	ZIP Code : Larned.	Ks. 67550		Digital Map/Photo, Topographic Map, Land Survey
3 100	CATE WI	21.1			Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
	TH AN "X	"IN 4 DEPTH OF	COMPLETED WEI	J. 70	ft.
1	TION BO				ft. (2) ft. (3) ft.
	N	WELL'S STATI	C WATER LEVEL	35 f	ft. below land surface measured on mo/day/yr12-1.7-10
					ft. after hours pumping gpm
N	w   1	EST. YIELD. N	Agpm. Well water	er was	ft. after hours pumping gpm
w	1	E   Bore Hole Diam	eter 10in. to .	<u>70</u>	ft., andin. toft.
		WELL WATER	TO BE USED AS: [	Public wa	ater supply Geothermal Injection well
s	w   :	DE!	☐ Feedlot ☐	Oil field wa	ater supply Dewatering Other (Specify below)
		☐ Irrigation	☐ Industrial ☐	Domestic-la	awn & garden Monitoring well Stock
-	<u>'                                    </u>				to Department?  Yes  No
	S 1 mile		day/yr sample was su		
	1 mile	Water well disin	fected? 🛭 Yes 🗌	No	
5 TYP	E OF C	ASING USED:   Steel	<b>₽</b> PVC □	Other	
CASIN	NG JOIN	ΓS: 🗹 Glued 🔲 Clam	iped 🗌 Welded	☐ Threade	ed
Casing diameter .5 in. to .70 ft., Diameter in. to ft., Diameter ft.					
				t SDR 26	lbs./ft., Wall thickness or gauge No
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
			From	ft. to	ft., From ft. to ft
	GRAV				ft., From ft. to ft
			From	ft. to	ft., From ft. to ft
6 GRC	DUT MA	TERIAL: ☐ Neat ceme	nt	t Z Bento	onite
Grout I	ntervals:	From It. to	ft., Fron	n . <del>4.</del> V	. tt. to .9 tt., From tt. tott.
	tne near Septic ta	est source of possible conta	_	□ I ivaataale	pens Insecticide storage Other (specify below)
	Sewer li			☐ Livestock ☐ Fuel stora	
_				Fertilizer	
Dire	ction from	n well North			e from well50ft
FROM		LITHOLOG	C LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	12	Clay			
12	21	Sandy clay & fine sand			
21	39	Sand & gravel-small			
39	47	Clay			
47	69	Sandstone			
69		Yellow clay			
	-				
B 000	TD : 62	DRIC OR LAND STREET		1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .12-17-10 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 12-21-10					
under the business name ofRosencrantz-Bernis					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: ☑ White Copy, ☐ Blue Copy, ☐ Pink Copy					