				R WELL RECORD	Form WM	C-5	KSA 82a-			
		TER WELL:	FractionNE				Number	Township Number	Range Number	
County: Pawnee 150 E 1/4 Distance and direction from nearest town or city street a				SW 1/4	3		T 23 S	R 16W E/W		
			•	iddress of well if loca	ted within ci	ty?				
1 N,	1 E of	Zook, Kan	Sas Diagles 11	Ctomline T	\	<u> </u>		D4-11- E		
				Sterling I	riiing	CO.		Richards F	- 1	
		x # : 901 B		Box 129	Vances	6757	· O	Application Number	, Division of Water Resources	
			1						920218	
AN "X"	IN SECTIO	N BOX:							3	
- r	<u> </u>	} 	1 ' ' '						,r 6/24/92	
1	i		I .						pumping gpm	
-	- NW	NE								
N -	i X	E	• 1					v 8 Air conditioning 11 Injection well		
-	i	i	1 Domestic					,		
-	- SW	SE	2 Irrigation							
1 1	i		_			-	-			
1			mitted			•				
5 TYPE (OF BLANK (CASING USED:		5 Wrought iron	8 Cc	ncrete ti	ile	CASING JOINTS: Glu	ed Clamped	
1 St	eel	3 RMP (9	SR)	6 Asbestos-Cemen	t 9 Ot	her (spe	cify below) We	Ided	
2 P\	/C	4 ABS		7 Fiberglass				Thr	eaded	
Casing he	ight above la	and surface	12	.in., weight	28		lbs./f	t. Wall thickness or gauge	No Sch 40	
TYPE OF	SCREEN O	R PERFORATIO	ON MATERIAL:	7 PVC						
1 St	eel	3 Stainles	ss steel	5 Fiberglass 8 RMP (SR)			SR)	11 Other (specify)		
2 Br		4 Galvani		C 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 10 Monitoring well 11 Monitoring well 12 Monitoring well 13 Monitoring well 14 Monitoring well 15 Monitoring well 16 Monitoring well 17 Monitoring well 18 Monitoring well 19 Monitoring well 19 Monitoring well 10 Monitoring well 11 Mone (Damped 12 Mone vell 12 Mone vell 13 Mone vell 14 Mone vell 14 Mone vell 15 Mone vell 16 Monitoring well 16 Other (Specify below) 17 Mone vell 16 Other (Specify below) 17 Mone vell 16 Other (Specify below) 18 Mone vell 19 Mone vell 10 Monitoring well 1						
		RATION OPENII		6 Asbestos-Cement 9 Other (specify below) Welded						
	ontinuous sid		Mill slot							
	uvered shut		Key punched							
SCREEN-	PERFORATI	ED INTERVALS								
,	SDAVEL DA	CK INTERVALS		v punched 7 Torch cut 10 Other (specify) From 65 ft. to 85 ft., From ft. to ft. From ft. to ft. From ft. to ft. From 20 ft. to 85 ft., From ft. to ft. From ft. to ft., From ft. to ft. ment 2 Cement grout 3 Bentonite 4 Other						
`	JUANEL LA	OK INTERVALS							i i	
6 GBOUT	MATERIAL	· 1 Neat								
			e contamination:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
1 Septic tank 4 Lat								· '		
2 Se	wer lines	5 Ces						= '		
3 W	atertight sew	er lines 6 See		9 Feedyard	_			~		
Direction f	rom well?	South					How man			
FROM	ТО		LITHOLOGIC	LOG	FROM	1	то	PLUGGING	INTERVALS	
0	30	Clay								
30	85	Sand and	gravel wit	h clay streak	s					
.										

	<u></u>									
J	L	L		ION. Th'			·			
									nder my jurisdiction and was	
		/year) 6/2							nowledge and belief. Kansas	
Water Me	1.0	- 11 **-	104	Th:	14/-II D			- I I I I I I I I	/u')	
							•	on (mo/day/yr)6/30	[92	
under the	business na	me of Kelly	's Water We	11 Service, 1	nc.	t	by (signati	X * '	2020	