


USE TYPEWRITER OR BALL
POINT PEN—PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

County Pawnee		Fraction 1/4 SW 1/4 NW 1/4	Section number 20	Township number T 23 S R 16	Range number 16
1. Location of well: Pawnee			2. Distance and direction from nearest town or city: 2 1/2 miles Southwest of Zook, KS. Street address of well location if in city:		
3. Owner of well: Donald Martin R.R. or street: Route 2 City, state, zip code: Larned, KS 67550			4. Locate with "X" in section below: 		
5. Type and color of material			From	To	6. Bore hole dia. 24 in. Completion date 7-19-76 Well depth 64 ft.
Top soil			0	3	7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
Brown & gray clay			3	21	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Sand & gravel & clay streak at 47-49			21	57	9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 30.3 lbs./ft. Dia. 16 in. to 30 ft. depth Wall thickness: inches or Dia. 16 in. to 64 ft. depth gage No. 7 ga.
Brown clay & X limestone			57	60	10. Screen: Manufacturer's name Doerr & (D) Johnson (J) Type (J).125 Irr. & (D) Double Dia. 1 1/2 in. Slot gauze 1/8 Length 28' Set between (D) 30 ft. and 48 ft. (J) 48 ft. and 58 ft. Gravel pack? yes Size range of material 3/8-200
Dakota clay			60	65	11. Static water level: 17'6" mo./day/yr. 17'6" ft. below land surface Date 6-9-76
					12. Pumping level below land surfaces: n/c ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.
					13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date
					14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade
					15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
					16. Nearest source of possible contamination: ft. Direction Type Well disinfected upon completion? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
					17. Pump: Not installed Manufacturer's name Berkeley Model number 1204M-2 HP 60 Volts --- Length of drop pipe 58 ft. capacity 1350 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:			19. Remarks:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Clarke Well & Eq. Inc. 185 Business name License No. Address Great Bend, KS 67530 Signed C. W. Clarke Date 7-19-76 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5