313 11815 WATER WELL RECO	ORD	Form W	WC-5	Division	of Water	Resources App. No	18,322								
1 LOCATION OF WATER WELL:		Fraction		Section Nu		Township No.	Range Number								
County: Paw		1/4 NW 1/4 SE		36		T 23 S	R 16 □E 🛛 W								
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information: Latitude: 38.010273 (in decimal degrees)											
from nearest town or intersection: If at owner's address, check here				Latitude: 38.010273 (in decimal degrees) Longitude: -99.035703 (in decimal degrees)											
Approximately 3.5 miles north and 3.5 miles west of Macksville.				Longitude: -99.035703 (in decimal degrees) Elevation: Unknown											
A WATER WELL OWNER. Coire LLC				Datuiii. WOS 64, NAD 65, NAD 27											
2 WATER WELL OWNER: Cairo LLC RR#, Street Address, Box #: 128 S. Dellrose St.				Collection Method: GPS unit (Make/Model: WAAS Output											
City, State, ZIP Code : Wichita, KS 67218				Digital Map/Photo, Topographic Map, Land Survey											
				Est. Accuracy:											
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 99 ft.															
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 33.60 ft. below land surface measured on mo/day/yr 12/20/12															
WELL'S STATIC WATER LEVEL 33.60 ft. below land surface measured on mo/day/yr 12/20/12															
Pump test data: Well water was not checked ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 30 in. to 100 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well															
								SW- SE- Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted															
5 TYPE OF CASING USED: Steel PVC Other															
CASING JOINTS: M Glued Clamped Welded Threaded															
Casing diameter 16 in. to 64 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in., Weight 19.75 lbs./ft., Wall thickness or gauge No616															
Casing height above land surface 12 in., Weight 19.75 lbs./ft., Wall thickness or gauge No616															
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel Stainless Steel PVC ☐ Other (Specify)															
Brass Galvanized Steel None used (open hole)															
SCREEN OR PERFORATION OPENINGS ARE:															
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key purched ☑ Wire wrapped ☐ Saw cut ☐ Other (specify)															
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 64 ft. to 84 ft., From 84 ft. to 98 ft.															
		From 22	ft. to	nn ft.,	From	ft.	to ft. to ft.								
GRAVEL PACK	INTERVALS:	From From	ft. to ''	ft.,	From	π. H	to II.								
From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other															
Grout Intervals: From 2 ft. to 22 ft., From ft. to ft., From ft. to ft.															
What is the nearest source of possible contamination:															
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well															
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None Known															
Direction from well			Distance												
FROM TO Topsoil	LITHOLOG	IC LOG	FROM	TO LIT	THO. LC	OG (cont.) or PLU	IGGING INTERVALS								
3 6 Clay, br	own														
6 26 Sandy,						M2 2 - W250									
26 37 Clay, brown, white, caliche streaks															
37 60 Sand & gravel, fine to coarse															
60 80 Gravel, fine to coarse															
80 84 Sand & gravel, fine to medium 84 95 Clay, white, caliche, with small gravel															
95 98 Sand & gravel, fine to medium															
98 100 Clay, gray, red shale															
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was a constructed, reconstructed, or plugged															
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 12/27/12 under the business name of Clarke Well & Equipment, Inc. by (signature)															
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.															
(white blue pink) to Kansas De	nartment of Health	and Environment, Burea	u of Water. Geol	ogy Section, 10	000 SW Ja	ackson St., Suite 420,	Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.															
KSA 82a-1212 Check: White Copy Blue Copy															