	12600	LDECODD	T	orm WWC-5	Distinct of Water	"Dagangana Ann No	30,407	
		L RECORD		orm wwwc-s	Section Number	r Resources App. No. Township No.	Range Number	
		OF WATER WELL: Pawnee	Fraction 1/4	1/4 NC 1/4 SW 1/4	34		R 16 □E ♥W	
Count	y: /Durol A			Global Positioning	System (GPS) info	rmation:		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude: 38.003622 (in decimal degrees) Longitude: -99.072526 (in decimal degrees) Elevation: Unknown Datum: WGS 84 NAD 83 NAD 27			
Approximately 3 miles north and 5.5 miles west of Macksville.					Longitude: -99.072526 (in decimal degrees)			
Apploxii	inately t	Times north and 5.5 ft	mes west o	Elevation: Unknown				
A WAR THE WILL AND THE WAR THE					Datum. E. HODOT, Z. ITADOS, E. ITADOS			
2 WATER WELL OWNER: Wayne Miller					Collection Method: GPS unit (Make/Model: WAAS			
RR#, Street Address, Box #: 1104 300th Ave. City, State, ZIP Code : Macksville, KS 67557					Digital Map/Photo, Topographic Map, Land Survey			
Est. Accuracy:								
2 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 89.10 ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) 02/25/14 ft. WELL'S STATIC WATER LEVEL 39.30 ft. below land surface measured on mo/day/yr 02/25/14								
	WELL'S STATIC WATER LEVEL _ 39.30 _ ft. below land surface measured on mo/day/yr _ 02/20/14							
	Pump test data: Well water was not checked ft. after hours pumping gpn							
1 1	W -NWNE- EST. YIELD gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 30 in. to 89 ft., and in. to ft.							
W	E Bore Hole Diameter 30 in. to 39 ft., and in. to i							
\$\\	SW SE Domestic Feedlot Oil field water supply Dewatering Other (specify below)							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S			le was submitted				
[-1 mile	Water well disir	ifected? 🛛	Yes No				
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Solved Clamped Welded Threaded Other (Specify) Casing diameter 16 in. to 63 ft., Diameter 16 in. to 87.40 ft., Diameter in. to Casing height above land surface 20 in., Weight 19.75 lbs./ft., Wall thickness or gauge No. 616								
Casing diameter 16 in. to 63 ft., Diameter 16 in. to 87.40 ft., Diameter in. to ft.								
Casing height above land surface 20 in., Weight 19.75 lbs./ft., Wall thickness or gauge No616								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 63 ft. to 83 ft., From ft. to ft.								
From ft. to ft., From ft. to ft. to ft. GRAVEL PACK INTERVALS: From 22 ft. to 89 ft., From ft. to ft.								
	GRAVI	EL PACK INTERVALS:	From	ft., From _	ft.	to tt.		
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Grout Intervals: From 2 ft. to 22 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
	tne neare Septic tai		ammation: nes 🔲 Pit pri	ivy Livestock	pens Insecticid	e storage 🛛 Oth	er (specify below)	
7	Sewer lin			ge lagoon Fuel storag	e 🔲 Abandone	d water well		
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None Known								
Direc	ction fron			Distance	from well			
FROM	TO	LITHOLOG	HC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
0	2	Topsoil				Character Co. C. C. C. C. C. C.	The state of the s	
2	19	Sandy clay, brown	<u> </u>		<u> </u>	: 1		
19	24	Sand, fine					<u> </u>	
24	27	Sand, gravel, fine	2 coorec					
27 63	63 83	Sand & gravel, fine to Sand & gravel, clay s			<u> </u>			
83	89	Clay, caliche, hard	in cars			<u> </u>	isa. 'a basanas	
03	08	Jiay, Janone, Haru	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
	1	· · · · · · · · · · · · · · · · · · ·					HAVE THE TAX A STATE OF THE TAX	
	 		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
7 CON	TRACTO	OR'S OR LANDOWNE	R'S CERTII	FICATION: This water	er well was 🕅 const	ructed, Treconstr	ucted, or plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)02/25/14 and this record is true to the best of my knowledge and belief. Kapeas Water Well Contractor's License No. 185 This Water Well Record was completed on (me/day/year)03/04/14								
I ranges a great and a solution in the second of the secon								
under th	e husine	ss name of Clark	ce Well & E	guipment, Inc.	by (signature)	HE -		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, 10peka, Kansas 66612-1367. Telephone 785-296-5522. Send one conv to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								