

1 LOCATION OF WATER WELL: County: Pawnee		Fraction SE 1/4 SE 1/4 SE 1/4	Section Number 3	Township Number T 23 S	Range Number R 17 E/W																																																						
Distance and direction from nearest town or city street address of well if located within city? 4 miles east of Garfield, Ks.																																																											
2 WATER WELL OWNER: Discovery Drilling Co. RR#, St. Address, Box # : Box 763 City, State, ZIP Code : Hays, Ks. 67601 Board of Agriculture, Division of Water Resources Application Number: 20000090																																																											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 1 Mile		4 DEPTH OF COMPLETED WELL: 70 ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 45 ft. below land surface measured on mo/day/yr 5-2-00 Pump test data: Well water was ft. after hours pumping gpm Est. Yield NA gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 9 7/8 in. to 70 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was sub- mitted Water Well Disinfected? Yes No X																																																									
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter 24 in. to 50 ft., Dia 5DR-26 in. to ft., Dia in. to ft. Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes SCREEN-PERFORATED INTERVALS: From 50 ft. to 70 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 70 ft. to 20 ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? north east How many feet? 900																																																											
<table border="1"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>PLUGGING INTERVALS</th></tr></thead><tbody><tr><td>0</td><td>3</td><td>Top soil</td><td></td><td></td><td></td></tr><tr><td>3</td><td>6</td><td>Brown clay</td><td></td><td></td><td></td></tr><tr><td>6</td><td>22</td><td>Gray clay</td><td></td><td></td><td></td></tr><tr><td>22</td><td>28</td><td>Gray and brown clay</td><td></td><td></td><td></td></tr><tr><td>28</td><td>43</td><td>Sandy brown clay and fine sand mixed</td><td></td><td></td><td></td></tr><tr><td>43</td><td>62</td><td>Sand and gravel medium</td><td></td><td></td><td></td></tr><tr><td>62</td><td>65</td><td>Brown clay</td><td></td><td></td><td></td></tr><tr><td>65</td><td>70</td><td>Sand and gravel medium</td><td></td><td></td><td></td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	3	Top soil				3	6	Brown clay				6	22	Gray clay				22	28	Gray and brown clay				28	43	Sandy brown clay and fine sand mixed				43	62	Sand and gravel medium				62	65	Brown clay				65	70	Sand and gravel medium			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																						
0	3	Top soil																																																									
3	6	Brown clay																																																									
6	22	Gray clay																																																									
22	28	Gray and brown clay																																																									
28	43	Sandy brown clay and fine sand mixed																																																									
43	62	Sand and gravel medium																																																									
62	65	Brown clay																																																									
65	70	Sand and gravel medium																																																									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-2-00 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 5-15-00 under the business name of Rosencrantz-Bemis by (signature) <i>Judith Hedson</i>																																																											
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.																																																											