I LOCATION OF W			WELL RECORD		KSA			
		Fraction	NE		tion Num		ip Number	Range Number
County: PAWNEE	on from nearest town	NE 1/4	NE 1/4	SE 1/4	6	T 2	<u>ه</u> د	R 17 E/W
Distance and direction	on from nearest town	-	1/2 N. DF G	-	5.			
WATER WELL C	OWNER: TOM HA	ALLODAY						
_ RR#, St. Address, E	Box # : RT. 1					Board	of Agriculture,	Division of Water Resource
City, State, ZIP Cod	e :GARFIELD	KS.67529				Applic	ation Number:	·
LOCATE WELL'S AN "X" IN SECTI								
TYPE OF BLANK  1 Steel  2 PVC  Blank casing diamete  Casing height above  TYPE OF SCREEN  1 Steel  2 Brass	CCASING USED:  3 RMP (SR) 4 ABS er 5 in e land surface. OR PERFORATION 3 Stainless s 4 Galvanized ORATION OPENINGS	Pump to st. Yield	est data: Well wa . gpm: Well wa . g	ter was ter was  5 Public wate 6 Oil field wa 7 Lawn and e submitted to D  8 Concret 9 Other	er supply ter supply garden on epartment ete tile (specify b	ft. after	hours property hours	d X Clamped
SCREEN OR PERF	<b>v</b>		5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Continuous s			6 Wire	wrapped		9 Drilled ho	oles	
2 Louvered shi SCREEN-PERFORA	utter 4 Key	punched From	7 Toro	ch cut		10 Other (sp	ecify)	
GRAVEL E					π.,	From		to
GROUT MATERIA Grout Intervals: Fi		From ment 2 to	ft. to Cement grout ft., From	3∕ Bento	ft., ft., nite to	From  4 Other ft., From the stock pens	ft. n	to
GROUT MATERIA Grout Intervals: Fi What is the nearest	AL: 1 Neat cer	From ment 2 to	ft. to Cement grout	3∕ Bento	ft., ft., nite to	From 4 Other ft., From	ft. n	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest	AL: 1 Neat cer rom	rent 2	ft. to Cement grout ft., From	≩ Bento ft.	toft., ft., enite to 10 Li	From  4 Other ft., From the stock pens	ft. 14 / 15 (	to ft  to ft. to
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines	AL: 1 Neat cer rom. 3 ft. source of possible co 4 Lateral	From ment 2 to	ft. to Cement groutft., From 7 Pit privy	≩ Bento ft.	ft., ft., nite to 10 Li 11 F	From 4 Other ft., From the stock pension of the storage	ft 14 / 15 (	to ftft. toft Abandoned water well Dil well/Gas well
GROUT MATERIA Grout Intervals: From the second of the seco	AL: 1 Neat cer rom. 3ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag	rent 2 to 23 ontamination: lines ool ge pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From the stock pension westock pension uel storage entilizer storage	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From From Waterlight Septic tank 2 Sewer lines 3 Watertight septic tank Direction from well?	AL: 1 Neat cer rom	From ment 2 to	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	≩ Bento ft.	ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir	From  4 Other ft., From testock pension to the testock pension	ft 14 / 15 (	to ft
GROUT MATERIA Grout Intervals: From the second of the seco	AL: 1 Neat cer rom. 3ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag	From ment 2 to	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From From From From From From From From	AL: 1 Neat cer rom	From ment 2 to	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second seco	AL: 1 Neat cer rom	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second of the seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second of the seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second of the seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO D 3 3 118	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO D 3 3 118	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO D 3 3 118	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO D 3 3 118	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second of the seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second of the seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: From the second seco	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag  TOP SOIL CLAY	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 Ir How	From  4 Other ft., From testock pension to the testock pension	ft.  14 A 15 C	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 118 118 136	AL: 1 Neat cer rom	From ment 2 to 23.3 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard OG	Genta Senta	ft., ft., ft., ft., nite to 10 Li 11 Fi 12 Fi 13 Ir How TO	From  4 Other ft., From tt., From tt., From tt., From twestock pens used storage entilizer storage entilizer storage many feet?	ft	to ft. to the ft. to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 118 118 136	AL: 1 Neat cer rom	From ment 2 to 23.3 ontamination: lines ool ge pit  LITHOLOGIC LC	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard OG	Goon  FROM  Was (1) constru	ft., ft., ft., ft., nite to 10 Li 11 Fi 12 Fi 13 In How TO	From  4 Other ft., From the stock pension of the storage entilizer entiliz	ft	to ft
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 118 118 136	AL: 1 Neat cer rom	From ment 2 to 23 ontamination: lines ool ge pit  LITHOLOGIC LC  RDCK	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard OG	goon  FROM  was (1) constru	ft., ft., ft., ft., nite to 10 Li 11 F 12 F 13 In How TO	From  4 Other ft., From testock pensivestock pensivestock pensivestorage entilizer storage esecticide storage many feet?	ft.  14 A  15 C  16 C  N  PLUGGING  (3) plugged une best of my kr	to ft. to
GROUT MATERIA Grout Intervals: Fi What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 118 118 136  TO CONTRACTOR'S Completed on (mo/da Water Well Contractor	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess posewer lines 6 Seepag  TOP SOIL CLAY SANDF	From ment 2 to 3.3 ontamination: lines ool ge pit  LITHOLOGIC LC  RDCK  CERTIFICATION 25-91	ft. to Cement groutt., From 7 Pit privy 8 Sewage la 9 Feedyard OG W: This water well water to the control of the cont	goon  FROM  was (1) constru	toft., ft., ft., ft., ft., ft., ft., f	From  4 Other  ft., From the control of the c	ft.  14 A  15 C  16 C  N  PLUGGING  (3) plugged une best of my kr	to ft
GROUT MATERIA Grout Intervals: Fit What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 118 118 136  CONTRACTOR'S COMPleted on (mo/da Water Well Contractor under the business r	AL: 1 Neat cer rom. 3. ft. source of possible co 4 Lateral 5 Cess possible con 4 Lateral 5 Cess possible con 6 Sand Sand Sand Sand Sand Sand Sand Sand	From ment 2 to 3.3 ontamination: lines ool ge pit  LITHOLOGIC LC  ROCK  CERTIFICATION -25-91  462-8 S WATER WEL	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard OG  W: This water well water to the control of the c	FROM  FROM  FROM  was (₹) constru  Well Record wa	toft., ft., ft., ft., ft., ft., ft., f	From  4 Other ft., From tt., From tt., From testock pens used storage entilizer storage esecticide storage many feet?  The constructed, or eccord is true to the test on (mo/day/yr gnature)	ft.  14 A 15 C 16 C N  PLUGGING  (3) plugged une best of my kr	to ft. to