City, State, ZIP Code : Larned	mping gpm mping gpm to ft Injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft
Depth(s) Groundwater Encountered 130 ft. ELEVATION: Unknown In the Animals State of	None It. I1/26/84 Injury gpm Injury gp
WATER WELL OWNER: Benny Bowman R#, St. Address, Box #: Route 2 Board of Agriculture, D Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 130 ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 30 ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 30 ft. after hours pun bore bore hours pun bore hours pun bore hours pun bore hours pun bore hours bore hours pun bore hours bore hours benefit at a conditioning 11 line bore had bore land surface measured on mo/day/yr Punnp test data: Well water was ft. after hours pun bore hole Diameter 8 in. to 60 ft., and in. WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 C 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	None 11/26/84 mping gpm mping gpm to ft Injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft
WATER WELL OWNER: Benny R#, St. Address, Box #: Route 2 Ks. 67550 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 30. ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pum bore Hole Diameter 8 in. to .60 ft. after hours pum bore Hole Diameter 8 in. to .60 ft. after hours pum bore Hole Diameter 8 in. to .60 ft. after hours pum bore Hole Diameter 8 in. to .60 ft. after hours pum bore Hole Diameter 8 in. to .60 ft. after hours pum bore Hole Diameter 8 in. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. In. to .60 ft. after hours pum bore Hole Diameter 9. Tevel to .60. If .60 ft. after hours pum bore Hole Diameter 9. Tevel 10. Other (specify below) TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued 2.PVC 4 ABS 7 Fiberglass 7 Fiberglass ft. after hours pum bore Hole Diameter 9. Other (specify below) Welde 2.PVC 4 ABS 7 Fiberglass 8 RMP (SR) 10 Asbestos-cemen 1.00. ft. Dia in. to ft.	None 11/26/84 mping gpm mping gpm to ft Injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft
R#, St. Address, Box # : Route 2 ity, State, ZIP Code : Larned Ks. 67550 Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth (s) Groundwater Encountered 1,30 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pun	None 11/26/84 mping gpm mping gpm to ft Injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft
Application Number: Application All Adverwas . ft. after . hours pun the start was ft. after . hours pun the start was ft. after . hours pun the start was ft. after . hours pun	None 11/26/84 mping gpm mping gpm to ft Injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N	mping gpm mping gpm to ft Injection well Other (Specify below) Mo Clamped ded n. to Sch 40
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	mping gpm mping gpm to ft Injection well Other (Specify below) Mo Clamped ded n. to Sch 40
Depth(s) Groundwater Encountered 13Q ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 3Q ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pun Bore Hole Diameter in to 6Q ft. and in. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 lin 1 Domestic 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No. If yes, mitted TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass Thread and surface 12 in., weight 2 et 8 lbs./ft. Wall thickness or gauge No reper OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (ope CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 10 Other (specify)	mping gpm mping gpm to ft Injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft
WELL'S STATIC WATER LEVEL	11/26/84 mping
Pump test data: Well water was ft. after hours pump test data: Well water was ft. after hours pump test. Yield 60 gpm: Well water was ft. after hours pump test. Yield 60 gpm: Well water was ft. after hours pump test. Yield 60 gpm: Well water was ft. after hours pump test. Yield 60 gpm: Well water was ft. after hours pump test. Yield 60 gpm: Well water supply 8 Air conditioning 11 limited ft. Air pump test. Yield 60 gpm: Well water supply 9 Dewatering 12 Geographic 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes No. If yes, mitted water well Disinfected? Yes water Well Disinfected? Yes water Well Disinfected? Yes water Well Disinfected? Yes 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welde 2 PVC 4 ABS 7 Fiberglass Threat and casing diameter 5 in to 40 ft., Dia in to ft., Dia in to ft., Dia in to YPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open the continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 4 Key punched 7 Torch cut 10 Other (specify)	mping gpm mping gpm to ft injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft o, Sch 40
Est. Yield 6Q gpm: Well water was ft. after hours pungered ft. after ho	mping gpm to ft Injection well Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to ft o, Sch 40
Bore Hole Diameter 8	to
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 In Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oil Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	Injection well Other (Specify below) mo/day/yr sample was sul No L. Clamped ed ded n. to
1 Domestic 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes No. If yes, mitted Water Well Disinfected? Yes Water Well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welde 2 PVC 4 ABS 7 Fiberglass Threac lank casing diameter 5 in. to 40 ft., Dia in. asing height above land surface 12 in., weight 2 PVC 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (oper CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Other (specify)	Other (Specify below) mo/day/yr sample was sul No Clamped ded n. to
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	mo/day/yr sample was sul No Clamped ded n. to Sch• 40
Was a chemical/bacteriological sample submitted to Department? Yes	No Clamped ded n. to Sch• 40
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welde 2 PVC 4 ABS 7 Fiberglass Threac alank casing diameter 5 in. to 40 ft., Dia in. asing height above land surface. 12 in., weight 2 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	No Clamped ded n. to Sch• 40
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welde 2 PVC 4 ABS 7 Fiberglass Threac lank casing diameter 5 in. to 40 ft., Dia in. to ft., Dia in. asing height above land surface 12 in., weight 2 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	cod
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welde 2 PVC 4 ABS 7 Fiberglass Threac lank casing diameter 5 in. to 40 ft., Dia in. to ft., Dia in. asing height above land surface 12 in., weight 2 8 lbs./ft. Wall thickness or gauge No YPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (ope CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	od
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welde 2 PVC 4 ABS 7 Fiberglass Thread lank casing diameter 5 in. to 40 ft., Dia in. to ft., Dia in. asing height above land surface 12 in., weight 2 8 lbs./ft. Wall thickness or gauge No YPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (ope CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	od
2 PVC 4 ABS 7 Fiberglass Thread lank casing diameter 5 in to 40 ft., Dia in to 5 in to 40 ft., Dia in to 5 in to 40 ft., Dia in to 5 in to 40 in to 5 in to 5 in to 40 in to 5 in to 5 in to 40 in to 5 in to 5 in to 5 in to 40 in to 5 in to 5 in to 5 in to 40 in to 5	ded
lank casing diameter 5 in to 40 ft., Dia in to ft., Dia in asing height above land surface 12 in weight 2.8 lbs./ft. Wall thickness or gauge No YPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cemer 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	n. to
asing height above land surface	5Sch40
YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify). 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (ope CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	717
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	n hole)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	11 None (open hole)
CREEN-PERFORATED INTERVALS: From	
)
From)
GRAVEL PACK INTERVALS: From	
From ft. to ft., From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	· · · · · · · · · · · · · · · · · · ·
rout Intervals: From	
·	andoned water well
	l well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Otl	her (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
irection from well? East How many feet?	1.50
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC	
0 18 0/ Clay	
18 58;7 Sand and Gravel	
58 60 19 Shale	
70 00 pg 65.00 cm	
	WHAT ALL ALL ALL ALL ALL ALL ALL ALL ALL A
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water wall was (1) constructed (2) secrets and as (2) shared water	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under moletand on (moletand on (mo	er my jurisdiction and was
impleted on (mo/day/year) $\cdot 11/26/84$ and this record is true to the best of my known \cdot	wledge and belief. Kansas
mpleted on (mo/day/year) $\cdot 11/26/84$ and this record is true to the best of my known ater Well Contractor's License No. $\cdot \cdot \cdot 186$ This Water Well Record was completed on (mo/day/yr) $\cdot \cdot \cdot \cdot \cdot \cdot \cdot$	er my jurisdiction and was wledge and belief. Kansas 12/31/84
ompleted on (mo/day/year) . 11/26/84	wledge and belief. Kansas 12/31/84
and this record is true to the best of my known ater Well Contractor's License No	wledge and belief. Kansas 12/31/84 correct answers. Send top
impleted on (mo/day/year) $\cdot 11/26/84$	wledge and belief. Kansas 12/31/84 correct answers. Send top