

1 LOCATION OF WATER WELL:	Fraction 150' So. of Center	Section Number	Township Number	Range Number
County: Pawnee	NE ¼ SW ¼ NE ¼	25	T 23 S	R 17 EW

Distance and direction from nearest town or city street address of well if located within city?

Approx. 3½ miles south and 5 3/4 mi. east of Garfield, KS

2 WATER WELL OWNER: Greg Finger	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: Route 1	Application Number: NOT AVAILABLE
City, State, ZIP Code: Garfield, KS 67529	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 68 ft. ELEVATION: unknown			
	Depth(s) Groundwater Encountered 1. 20 ft. 2. ft. 3. ft.			
	WELL'S STATIC WATER LEVEL 20 ft. below land surface measured on mo/day/yr 7-2-84			
	Pump test data: Well water was not ck'd. ft. after hours pumping gpm			
	Est. Yield 800 gpm: Well water was ft. after hours pumping gpm			
	Bore Hole Diameter XX 24 in. to 68 ft. and in. to ft.			
WELL WATER TO BE USED AS:				
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Observation well	
Was a chemical/bacteriological sample submitted to Department? Yes. No. X		If yes, mo/day/yr sample was submitted		
Water Well Disinfected? Yes No XX				

5 TYPE OF BLANK CASING USED:	3 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded XX
Blank casing diameter 16 in. to 40 ft. Dia.			Threaded.
Casing height above land surface 12 in. weight 46.87 lbs./ft. Wall thickness or gauge No. 219			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) DOERR BRIDGE SLOT
SCREEN-PERFORATED INTERVALS:		From 40 ft. to 68 ft.	From ft. to ft.
GRAVEL PACK INTERVALS:		From 10 ft. to 68 ft.	From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 10 ft.				
What is the nearest source of possible contamination:		10 Livestock pens	14 Abandoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	FIELD
Direction from well? ALL		How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	13	Topsoil & brown & green clay			
13	22	Sand & sandy green & tan clay			
22	50	Sand & gravel, med. clean			
50	55	Sand & gravel, med. to coarse			
55	61	Sand & gravel, med. w/a few thin clay streaks			
61	66	Sand & gravel & white clay			
66	68	Sandstone & Dakota clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-2-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 8-2-84 under the business name of Clarke Well & Eq., Inc. by (signature) [Signature]
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

17

BN

SEC.

25

NE ¼

SW ¼

NE ¼