WATER WELL RECORD			Form WWC-5		Division of Water Resources App. No.			
Coi	1 LOCATION OF WATER WELL: County: Pawnee		Fraction ¹ / ₄ SE ¹ / ₄ N	E 1/4 NE 1/4	Section Number 23		Range Number R 17 □E ☑W	
Stre	eet/Rural	Address of Well Location;	if unknown, distance					
fron	n neares	t town or intersection: If at	owner's address, che	Global Positioning System (GPS) information: Latitude:				
1 5	South, 3	1/2 West of Zook		Longitude: (in decimal degrees)				
						Elevation:		
2 WATER WELL OWNER, a Datum						, □ NAD 83, □	NAD 27	
noul Ci					Collection Method:			
City, State, ZIP Code : P.O. Box 155 Larned, Ks. 67550					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	, ,,	Larned	, KS. 6/550		Est Accuracy:	oto, 🔲 I opograpnic	Map, Land Survey	
3 LOCATE WELL Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m								
	THAN "	X" IN 4 DEPTH OF	COMPLETED WEI	LL .80	ft.			
SEC	CTION B							
	WELL'S STATIC WATER LEVEL							
	Pump test data: Well water was ft. after hours pumping gpm NWNE-X EST. YIELD. N/Agpm, Well water was ft. after hours pumping gpm Bore Hole Diameter 10in, to .80							
W								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
S	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
L	Irrigation Industrial Domestic-lawn & garden Monitoring well Stock							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel V PVC Other								
Casir	NG JUIN	ton 5 Glued Clar	nped [] Welded	☐ Threaded				
Casing diameter 5								
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No								
11FE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wranned								
SCREEN-PERFORATED INTERVALS: From 80 ft. to 60 ft., From ft. to ft.								
From ft to ft From ft to								
GRAVEL PACK INTERVALS: From 80 ft. to 20 ft., From ft. to ft.								
From ft. to ft. ft. ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None								
Direc		n well		. Distance fi	om well	• • • • • • • • • • • • • • • • • • • •		
FROM	ТО	LITHOLOG	IC LOG	FROM			GING INTERVALS	
0	3	Top soil						
3	15	Brown & gray clay						
15	18	Sand						
18	21	Sandy tan clay					A	
21	37	Sand & gravel- small to	med, loose					
37	39	Tan clay						
39	69.5	Sand & gravel- small						
69.5	77	Sandstone						
77	80	Gray shale						
7 CONTRACTORIS OR LANDOWNERDS CORRE								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .3-4-12 and this record is true to the best of my knowledge and belief								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3-14-12.								
under the business name of Rosencrantz-Bemis by (signature). INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and Environment. Burgan of Water Geology Section 1000 SW, Jackson St., Suite 420, Toneko, Vancos 666 12, 1267								
relephone 783-296-3524. Send one copy to wATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed, well. Vi sit us at								
nttp://www.kuneks.gov/waterweil/index.ntml.								
SA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy								

KSA 82a-1212