

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pawnee		SW 1/4 SE 1/4 SE 1/4	28	T 23 S	R 17 E <b>N</b>

Distance and direction from nearest town or city street address of well if located within city?

Approximately 4 miles south and 2 3/4 miles east of Garfield

2 WATER WELL OWNER:		Jay Shottenkirk
RR#, St. Address, Box #	Route 1 - Box 79	
City, State, ZIP Code	Garfield, KS 67529	
		Board of Agriculture, Division of Water Resources
		Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 60 ft. ELEVATION: unknown	
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.	
		WELL'S STATIC WATER LEVEL 26.1 ft. below land surface measured on mo/day/yr 11-21-94	
		Pump test data: Well water was not ch'd ft. after hours pumping gpm	
		Est. Yield unknown gpm: Well water was ft. after hours pumping gpm	
		Bore Hole Diameter 9 in. to 60 ft. and in. to ft.	
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes X No	

5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS		7 Fiberglass Threaded	
Blank casing diameter 5 in. to 48 ft. Dia		in. to ft. Dia in. to ft.	
Casing height above land surface 24 in. weight 2,36 lbs./ft. Wall thickness or gauge No. .214			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From 48 ft. to 58 ft. From ft. to ft.	
GRAVEL PACK INTERVALS:		From 25 ft. to 35 ft. From ft. to ft.	
		From 42 ft. to 60 ft. From ft. to ft.	

6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug	
Grout Intervals: From Topsoil 0 ft. to 4 ft. From 4 ft. to 25 ft. From 25 ft. to 35 ft. From 35 ft. to 42 ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage House			
Direction from well? southeast		How many feet? 20'	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	7	Topsoil			
7	21	Clay, tan to light brown			
21	25	Sand and gravel, little clay stringer			
25	38	Sand and gravel, medium to fine			
38	40	Clay, tan			
40	58	Sand and gravel, medium to coarse, clean, loose			
58	60	Clay, green			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-21-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 11-28-94 under the business name of Clarke Well & Equipment, Inc. by (signature)	
---	--