I LOCATION OF M			WELL RECORD	Form WWC-5	KSA 82a	-1212		
	ATER WELL:	Fraction		Sec	ion Number	Township Nur		Range Number
County: Harve		SE 1/4	SE 1/4 SW		29	т 23	S	R ² & /W
	on from nearest town	-		_	and			
Approximate WATER WELL C	rely 2½ miles	City of		OI Haist	eau			
RR#, St. Address, I		455 N.				Board of Ag	riculture D	ivision of Water Resources
City, State, ZIP Cod	Board of Agriculture, Division of Water Resources Application Number:							
1	LOCATION WITH 4		, KS 67202					
AN "X" IN SECT	ON BOX:							
- I	<u> </u>							5-7-97
↑ i	"							nping gpm
NW	- NE E							nping gpm
								toft.
* w			D BE USED AS:			8 Air conditioning		njection well
- i	"	1 Domestic	3 Feedlot			_		Other (Specify below)
sw -	SE	2 Irrigation	4 Industrial					
1 1 1	- w	•		•	•			mo/day/yr sample was sub-
<u> </u>		itted	actorio a great campro			ter Well Disinfected	_	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre				X Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cement		specify below			d
0. 51/10	4 400		7 Fib			•	Th	4.4
Blank casing diamet	e land surface	. to 1.8	ft., Dia	in. to		ft., Dia	i	n. to <u></u> , ft.
Casing height above	and surface	. 2.4	in., weight • 7	<u>'0</u>	Ibs./	ft. Wall thickness or	gauge No	•154
	OR PERFORATION I		-	7 PV			stos-cemer	
1 Steel	3 Stainless s	teel	5 Fiberglass	8 RM	P (SR)	11 Other	(specify)	
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AB	3	12 None	used (ope	n hole)
SCREEN OR PERF	ORATION OPENINGS	S ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Continuous	slot 3 Mill :	slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered sh	utter 4 Key	punched	7 Torc	h cut		10 Other (specify)		
SCREEN-PERFORA	ATED INTERVALS:	From	18 ft. to .	28	ft., Fro	m	ft. to	
GRAVEL F	PACK INTERVALS:	From				m	ft. to	
		From	ft. to		ft., Fro	<u>m</u>	ft. to	
					11., 110	Dant		
6 GROUT MATERI	AL: 1 Neat cer	ment 2	Cement grout	3 Bento	nite 4	Other Bent	onite	Holeplug 16
Grout Intervals: F	rom ft.	to	Cement grout	3 Bento	nite 4	ft., From		. ft. to
Grout Intervals: F What is the nearest	romft. source of possible co	to	Cement grout	3 Bento	nite 4 o	ft., From tock pens		. ft. to
Grout Intervals: F What is the nearest 1 Septic tank	rom	to	2 Cement grout ft., From 7 Pit privy	3 Bento	nite 4 o	ft., From tock pens storage	14 Ab 15 Oi	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines	romft. source of possible co 4 Lateral 5 Cess po	to	Cement grout ft., From Pit privy 8 Sewage lag	3 Bento	nite 4 to	ft., From tock pens storage zer storage	14 Ab 15 Oi 16 Ot	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	romft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag	to	2 Cement grout ft., From 7 Pit privy	3 Bento	nite 4 0	ft., From tock pens storage zer storage ticide storage	14 Ab 15 Oi 16 Ot	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	romft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag	to	2 Cement grout 3 ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO	source of possible co 4 Lateral 5 Cess poewer lines 6 Seepag	to	2 Cement grout 3 ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	nite 4 0	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4	romft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag Topsoil	to	2 Cement grout 3 ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7	romft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag Topsoil Clay, brow	to	P Cement grout The first from The fi	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7	romft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag Topsoil Clay, brow	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28	rom	to	P Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG	3 Bento	nite 4 to	tock pens storage zer storage ticide storage ny feet?	14 Ab 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28 28 29	romft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag Topsoil Clay, brow Sand and g Clay, gray	to	2 Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG arse, medium	3 Bento	nite 4 io	ft., From tock pens storage zer storage ticide storage ny feet? PLU	14 At 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28 28 29	romft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag Topsoil Clay, brow Sand and g Clay, gray	to	2 Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard .OG	3 Bento ft.	nite 4 10 Lives 11 Fuel 12 Fertil 13 Insected How ma TO	nstructed, or (3) plu	14 At 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28 28 29 7 CONTRACTOR'S completed on (mo/d	rom. ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag Topsoil Clay, brow Sand and g Clay, gray	to	2 Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG arse, medium C	3 Bento ft.	nite 4 10 Lives 11 Fuel 12 Fertil 13 Insection 10 How material TO 2	nstructed, or (3) plurd is true to the besi	14 At 15 Oi 16 Ot None	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28 28 29 7 CONTRACTOR'S completed on (mo/d) Water Well Contract	rom	to	Prit privy Sewage lag Feedyard OG OR ON: This water well was a control of the	3 Bentoft. goon FROM was (1) construct Well Record was	nite 4 10 Lives 11 Fuel 12 Fertil 13 Insection 10 How ma 10 TO 11 To 12 Fertil 13 Insection 14 Fertil 15 Insection 16 Fertil 17 Fertil 18 Insection 19 Fertil 19 Fertil 19 Fertil 19 Fertil 10 Fertil 10 Fertil 11 Fertil 12 Fertil 13 Insection 14 Fertil 15 Fertil 16 Fertil 17 Fertil 18 Fertil 18 Fertil 18 Fertil 18 Fertil 19 Fertil 10 Fertil 10 Fertil 10 Fertil 11 Fertil 11 Fertil 12 Fertil 13 Insection 15 Fertil 16 Fertil 17 Fertil 18 Fertil 18 Fertil 19 Fertil 19 Fertil 19 Fertil 19 Fertil 10	nstructed, or (3) plurd is true to the besion (mo/day/yr)	14 Ab 15 Oi 16 Ot None GGING IN	ft. to
Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 4 4 7 7 28 28 29 7 CONTRACTOR'S completed on (mo/d Water Well Contract under the business	rom	to	2 Cement groutft., From 7 Pit privy 8 Sewage lag 9 Feedyard OG ON: This water well was the control of the control o	3 Bentoft. goon FROMwas (1) construct Well Record was	nite 4 10 Lives 11 Fuel 12 Fertil 13 Insection 10 How ma 10 TO cited, (2) recording and this recording a completed by (signa)	nstructed, or (3) plurd is true to the beston (mo/day/yr)	14 Ab 15 Oi 16 Ot None GGING IN	ft. to

CLARKE WELL & EQUIPMENT, INC.

WELL RECORD DESIGN & CONSTRUCTION SHEET

		DESIGN & CONSTRUCTION SHI	الم		The Party				
IOR NUM	IRER	3679		Constitution (Charles)		90 <u>0</u>			
		City of Wichita WELL No	O SMI	7_U/	+ +	- Y - A - C - 1	+		
		t- 29 -t							
WELL USE Monitor APPROPRIATION NO LOCATION SE V4 SE V4 SW V4, SECTION NO									
r 23 S	, R 2	WE Harvey COUNTY	Kansas	-	+ +		+		
70	FSL,		Sło	ife	SECT				
					SECI	ION			
SIZE HO	LE	6 "DIA.				•			
SIZE C	ASING_		_LBS/F	rPVC	M	ATERI	AL		
SIZE S	CREEN_	2 " DIA154 WALL _ PVC	MATE	RIAL030 Mill	SL	OT/H	18KE		
	ION LOO	6. From test no.	Formatio Thickne	n From ground level	From	То	Ftg.		
0	4	Topsoil		Casing	0	18	18		
4.	7	Clay, brown, hard		Screen	-18	28	10		
7	28	Sand and gravel, coarse, medium	m			14.	1.00		
28	29	Clay, gray and black							
H				na se ga figures e es o	1 1 1 1 1	1000	11000		
							<u> </u>		
		A STATE OF THE STA							
			_			-	2000		
	-						+		
	 								
	<u> </u>					1	+		
	2 11				-		+		
	 			CASING LEFT ABO	VE GRO	DUND	2		
				TOTAL CASING &	SCREEN		30		
STATIC	WATER	R I FVFI 19.35 C	HLORINA	ATF none	OLIVINI	TY U			
JIAIIO		R LEVEL 19.35 C From ground level							
	GR∆	VEL PACK ANNUL	AR SF	AL.					
		TO 28 0 T			te Hol	eplug	3		
		тот					r .		
		NEAREST SOURCE OF POSSIBLE CONT			n				
		OM WELL							
		DRILLED BY				-7-9	7		