USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

			,			,		
	unty	Fraction	Section	number	Township number	Range number		
1. Location of well:	ARVEY	SE 1/4NE 1/4 NE 1/4	//	4	$\frac{1}{1}$ 23 s	R 2	1/w	
2 Distance and direction	from nearest town or city:		ner of well	· m	1011116	104004	-	
2. Bistance and arrection	Thom rections form of city.	14	r street:			orger		
Street address of well loca	ition if in city:		tote Zzp	rode:	Tarton	UE	i	
	FIROM H	720/070/07/1/1	772		JALS JEAA	<u>// 3</u>	-332P	,
4. Locate with "X" in sec	tion below:	Sketch map:	X		6. Bore hole dia. in Well depth 52ft.	. Completion date	-2.5° /y	
<u> </u>	<u>.</u>	16 / MI		ŀ	1 - 1			
	1	to Halster lite			7 Cable tool X Rotary			
NW 	NE	L Under		ŀ	Hollow rod Jetted		e rotary	
M Aile		To Me.			8. Use: Domestic P		· 1	
× W		to the				Air conditioning X Stoc		
sw	SE S					Oil field water Oth		
	! '		Height: Above ordel	low .				
<u> </u>	· •	Threaded Welded Surface in . RMP PVC Weight SO lbs ./ft .						
1 Mile —					Dia. 5 in. to 5 5 ft. de			
5. Type and color of mate	rial		From	То	Dia in. to ft. de	oth gage No. 20	00	
- Type and color or mare					10. Screen: Manufacturer's	// 1		
700	5012			2	0.00			
1000)0/2		0	2	Туре	Dio		
CIAV	RPA		12	125	Slot/gauze	Length		
	2 1		 ~ 	-77-	Set between	_ft. and and	ft.	
time	SAND		25	<i>3</i> 5	Gravel pack?		1/1	
Clink	· COII	Blue	125	-6	11 Static water level:		day/yr	
SAME	- 50//	10/1/2	رو	2	20ft. below land su	10 22	-78	
				1	12. Pumping level below lar	nd surfaces:		
			-		45 ft. after	hrs. pumping	g.p.m.	
					ft. after	hrs. pumping	g.p.m.	
					Estimated maximum yield —		g.p.m.	
			+	\vdash	13. Water sample submitted:	Date	day/yr.	
					14. Well head completion:	. 0		
			1	<u> </u>	Pitless adapter	Inches above gr	rade	
					15. Well grouted?			
					With: Neat cement	Bentonite Co	oncrete	(QI
			-	<u> </u>	Depth: From ft. to	<u>∠∂</u> ft.		ิไน
					16. Negrest source of possib	le antamination:	1	100
					ft. Direction	Z Type		
					Well disinfected upon comp	V	No	
					17. Pump:	Not installed	,	~ <u>'</u>
			+		Manufacturer's name Model number	HP Volts		S)
				İ	Length of drop pipe			© "
					Type:		3.6	•
					Submersible	Turbine		
					Jet	Reciproc	ating	s —
		d sheet if needed)		L	Centrifugal	Other	——- {	4
18. Elevation: 19.	Remarks:	and tall to les	Tm	12)	20. Water well contractor's			1, -
	week ?	Timulay 10 00	, ,,,		This well was drilled under it is true to the best of my kno		eport	C A
Topography:	Roman	Well Rem Pl	ne	nn	DYK Well 3	ervice 2	2//	☆ ≩
Hill	weight !	10 50 /1	Sme	II.	Business name	() AND TITE Lice	nse No.	- !
X Slope	mand W	self furthermo	, ,,,,,,	1	Address	W JUNEVIOW K	2 / 3	7
Upland	0-11	-			Signed Authorized re	Dane Dane	(*/*/4)	۲ ۱ ـــ
Valley	ran					p, esement ve	·	
Forward the white, blue an	d pink copies to the Departme	nt of Health and Environment			•	Form WWC	C-5	\Box