1	Day 05 faces	===.		R WELL REC	ORD	Form W		KSA 82a-	7	No.	D 5	1
	ON OF WAT	evel!	Fraction	SW.	, N	E 14	Section	on Number	Township	Number S	Range N	umber
County: Distance a		yom nearest, tow		address of well	if loca	ted within d		/ <u> </u>	<u> </u>	<i>_</i> 3	<u> </u>	
2 WATER	WELL OW	- // /										
-	Address, Box		20 B	DRI	23				Board of	f Agriculture (Division of Wate	er Resources
City, State,			ر جر ک محر	nent	Do	nd K	16	753	Applicat	ion Number:	7-87	566
1		CATION WITH										
	IN SECTION		Depth(s) Ground	dwater Encoun	itered	1	.9	ft. 2		ft. 3	1 <u></u>	
Ī	-	! ! !	WELL'S STATIO									
-	- NW	NE									imping . 2C	
1	- 1	-	Est. Yield	• •	•		, ,			•		
₩ F		X [Bore Hole Diam	• •		•						ft.
₹	-	!!!	WELL WATER						8 Air conditioni	•	Injection well	
ī -	- sw1	SE	1 Domestic						-		Other (Specify	
1	ï	ī	2 Irrigation				-	-	0 Observation	•		
i L	1		Was a chemical	/bacteriologica	l sample	e submitted	to Dep					nple was sub-
-	\$		mitted					Wat	ter Well Disinfe	cted? Yes	X No	
5 TYPE C	OF BLANK C	ASING USED:	-	5 Wrought	iron	8 C	oncrete	e tile	CASING .	IOINTS: Glue	d .X	ped
1 Ste	el	3 RMP (SI	り	6 Asbestos	-Cemen	nt 9 C	other (s	specify below	v)	Weld	led	
2 PV		4 ABS	, ,	7 Fiberglass	s					Threa	aded	
		5							ft., Dia			<u>.</u> , ft.
Casing hei	ght above la	and surface	24	in., weight .		1,5	7	Ibs./1	ft. Wall thicknes	s or gauge N	10. J.	26
		R PERFORATION	•	_		• •	7 PVC			Asbestos-ceme		
1 Ste	el	3 Stainless	s steel	5 Fiberglas	s		8 RMP	(SR)	11 (Other (specify))	
2 Bra	ass	4 Galvaniz	ed steel	6 Concrete			9 ABS	-	12 N	lone used (or	en hole)	
SCREEN (OR PERFOR	RATION OPENIN	GS ARE:		5 Gai	uzed wrapp	ed		8 Saw cut		11 None (ope	en hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									es		,	
	uvered shutt		ey punched			ch cut						
		ED INTERVALS:		4/	. ft. to	/_		ft From	٠,	• •	to	i
OOMELIA		ED INVIETUALO.	From		. ft. to	_	· · · · ·	,			to	
6	SBAVEL BA	CK INTERVALS:		20							to	
	ANAVEL FA	OK INTERVALS.	_	~	. 11. 10	· · · · · · · · · · · · · · · · · · ·		ft., From		_		ft.
e CPOLIT	MATERIAL	: 1 Neat o	From	2 Cement gr	- 10 - 10	2	Benton					
			· ·									
Grout Inter		n		. n., Fro	om		. n. u				ft. to	
		urce of possible		7 54							bandoned water	_
	ptic tank	4 Later			privy			11 Fuel	•			
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				8 Sewage lagoon				12 Fertilizer storage 16 Other (specify below)				
	_	er lines 6 Seep	page pit	9 Feedyard				13 Insecticide storage				
Direction f		NU	LITUOLOGIC	2100			N4 T		ny feet?	LITHOLOG	210 1 00	
FROM	то		LITHOLOGIC	LOG		FRO	JM	то		LITHOLOG	aic Log	
1	0	100	Crl				-+					
		100	2001									
	2/	<i>(1)</i>										
)	28	CRAY)								
			//	<u>/</u>								
ad		narel	And									
38	20	prux -	2414									
		PI	$ \rho$	~ <i>[</i>]								
56	6/	Chau	esal C	lay								
				/_								
7 CONT	PACTOR'S		D'S CEDTIEICA	TION: This	tor wall	1460 (1) 0	netrus	(2) race	netructed or /	3) plugged up	der my juriedial	ion and was
		OR LANDOWNE	- 1 - 80	UN: THIS WA	iler Well	was (1) C						
1 '	on (mo/day	, ,		A	 				/ \		nowledge and b	eller. Namsas
1		s License No		This	s wager	well Heco	ra was		on (no/day/yr)			
under the	business na		ungo	ESS EIDHI V	I POWE	ologie Disse	o fill in th	by (signa		Je C	and ton three see:	e to Kanasa
Departme	ent of Health a	ypewriter or ball poir nd Environment, Bu	re of Water Prote	ection, Topeka, K	ansas 64	620-7320. Teas	e iiii in p elephone	iariks, underlin e: 913-862-936	So Send one to	ATER WELL ON	WNER and retain (one for your
records.				. ,			.,					