Loca	TION OF WAT	FED WELL.	T FI	RACTION		Water Well Re	cord	Form WWC-		SA 82a-1212 ction Number	T =		Т -			
1 LOCATION OF WATER WELL:  Harvey			1		, att	<b>.</b>	SE	1/4	Se	35		hip Number	*	ange Number		
Distance and direction frem nearest town or cit							25	1/4		35	Т	23 s	R	2W	E/W	
_	7 Che			CLI		Kansa	15				<del></del>					
	ST. ADRESS,				MIC							Board of Agriculture,	Divivsion of V	Vater Resourc	æ	
RR#, ST. ADRESS, BOX#: 327 Chestnut CITY, STATE, ZIP CODE: Halstead, Kansas									67056				Application Number:			
		OCATION WITH	-		TED WEL	Τ.	65			EVATION:	Application Number	CI.				
200.11	' IN SECTION					Encountered		1		ft.	2	ft.	3		ft.	
l t			_	1,0		R LEVEL		_	Γ. BEL		_	URED ON mo/day/yr	_	27/19		
	į		WELL		test data			ter was		ft.	after	hours pur		21/13		
l	NW	NE	Est. Yie	-	gp			iter was		ft.	after	hours pu	• 0		gpm gpm	
M Mile			I	le Diamet		1.2 in.	to			ft.,	and	in.	to		ft.	
₽w		F	1	WATER 1			-	Public wat	er suj	,	8 Air condit		Injection	well		
١.		X	1 D	omestic	3 F	eedlot		Oil field w			9 Dewaterin		•	ecify belov	v)	
1	SW		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well													
↓			Was a c	as a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sampl											ıs	
		S	submit	tted						W	ater Well Dis	nfected? Yes	X	No		
		SING USED:				Wrought ir			8 Con	crete tile	CASI	NG JOINTS:	Glued X	Clamped	l	
1 Stee		3 RMP (SR)				Asbestos-Ce	ment	:	9 Oth	er (Specify	below)		Welded			
2 PVC	2_	4 ABS			7 1	Fiberglass			SDR	-26			Threaded			
1	asing Diam	•		to 24	1	t., Dia		in	_	to	ft., D		to	ft.		
-	_	e land surface			n.,	weight	2.			. / ft.	Wall thickn	ess or gauge No. 10 Asbestos-cen		.214		
1 Ste		N OR PERFORA	IION M	ATEKIA		iberglass			7 PV	C IP (SR)						
2 Bra		3 Stainless Steel 4 Galvanized ste	.al			oncrete tile			9 AB	` '		11 other (special	• •			
					•						8 Saw c	12 None used (	- ′		holo)	
•	SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrappe 1 Continous slot 3 Mill slot 6 Wire wrapped										8 Saw cut 11 None (open hole)  9 Drilled holes					
	red shutter	3 Mill s														
						7 Te	orch o					r (specify)			_	
SCREE	N-PERFO	RATION INTER	VALS:	from	24		ft. t	o 65		ft., Fro	m	ft. to			ft.	
'					from ft.			-			ft., From		ft. to		ft.	
GRAVEL PACK INTERVA				_				to 65		ft., Fro					ft.	
from ft. to ft., From ft. to  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other														ft		
										ic		_	•		_	
What is the nearest source of possible contaminat								ft. to		ft., Fr 10 Livestock pens					ft.	
	ic tank	ral lines	· · · · · · · · · · · · · · · ·					11 Fuel storage				14 Abandon water well 15 Oil well/Gas well				
2 Sewe						8 Sewage lagoon					llizer storage	- 10		Oil well/Gas well Other (specify below)		
2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag				poor							cticide storage		None Apparent			
1	on from wel	•		> 1 coupaid						How m						
Direction from well?   How many feet?     FROM   TO   PLUGGING INTERVALS																
0	2	topsoil														
2	26	brown c														
	35	fine sa						ļ				was and a second				
35	65	fine to		Lum w	ith	some			+							
<b></b>		coarse	sand						-							
									-			The state of the s				
<b></b>								· · · · · · · · · · · · · · · · · · ·	+		***************************************					
-	-							<u> </u>	+							
	<del> </del>							<b>_</b>	+			100000				
							·		+							
					****			-								
								-								
									+							
					**				+					7.0		
-			**:													
<sup>7</sup> CO	NTRACTO	R'S OR LANDOWN	ER'S CERTI	FICATION:	This wa	ater well w	as (1)	construc	ted,	(2) recons	tructed, or (	B) plugged under	my juris	diction an	nd .	
												ny knowledge ar 08./				
		rs License No less name ofH														
1		ices name UlA				angaKMA	····		. nv.W.	Dy (816	griatul E/	Jane 3	trod	onick	),	
646											,	$r^{\omega} \sim 0$				