

1 LOCATION OF WATER WELL:		Fraction $\frac{1}{4}$ NC $\frac{1}{4}$ SW $\frac{1}{4}$		Section Number 10	Township Number T 23 S	Range Number R 2 E/W
County: Harvey						
Distance and direction from nearest town or city street address of well if located within city? Approximately 4 miles north and 3/4 mile west of Halstead						
2 WATER WELL OWNER:		Donald E. Yost 907 N. Halstead Rd. Halstead, KS 67056			Board of Agriculture, Division of Water Resources Application Number: 43,707	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 102 ft. ELEVATION: unknown				
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 6 ft. below land surface measured on mo/day/yr 5-19-99				
		Pump test data: Well water was not ch'd. ft. after hours pumping gpm				
		Est. Yield unknown gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter . 24 in. to 102.5 ft., and in. to ft.				
5 TYPE OF BLANK CASING USED:		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
1 Steel 3 RMP (SR)		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
2 PVC 4 ABS		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
5 Wrought iron 8 Concrete tile		Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was sub				
6 Asbestos-Cement 9 Other (specify below)		mitted Water Well Disinfected? Yes No <input checked="" type="checkbox"/>				
7 Fiberglass		CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped				
Blank casing diameter 16 in. to 56 ft., Dia 16 in. to 93 ft., Dia in. to ft.		Welded				
Casing height above land surface 12 in., weight 16.15 lbs./ft. Wall thickness or gauge No. 500		Threaded				
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement				
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		12 None used (open hole)				
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		SCREEN OR PERFORATION OPENINGS ARE:				
5 Gauzed wrapped 8 Saw cut 11 None (open hole)		1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)		SCREEN-PERFORATED INTERVALS: From 56 ft. to 80 ft., From ft. to ft.				
From 93 ft. to 101 ft., From ft. to ft.		GRAVEL PACK INTERVALS: From 20 ft. to 102.5 ft., From ft. to ft.				
From ft. to ft., From ft. to ft.		6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other				
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.		What is the nearest source of possible contamination:				
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well		2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well				
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)		None known				
Direction from well?		How many feet?				
LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS
FROM TO		FROM TO		FROM TO		FROM TO
0 4 Topsoil						
4 18 Clay, brown						
18 30 Clay, gray, some brown						
30 36 Sand, fine, medium						
36 43 Sand and gravel, fine, medium, coarse, some clay						
43 54 Clay, tan						
54 83 Sand and gravel, fine, medium						
83 93 Clay, gray						
93 96 Sand and gravel with clay						
96 102 Sand and gravel, fine, medium						
102 102.5 Clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-19-99 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 5-25-99 under the business name of Clarke Well & Equipment, Inc. by (signature) <i>Clarke Well & Equipment, Inc.</i>						