CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4) Section-Township-Range changed:
listed as NENW, 23-265-2W
changed to NE NW, 26-235-2W
Other changes: Initial statements:
Changed to:
Comments:
verification method: Written & legal descriptions, position on plat map,
verification method: Written & legal descriptions, position on plat map, and Halstead 1:24,000 topo. map. initials: DRL date: 4/24/2001
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

			<u>ER WELL RECORI</u>	D Form WWC-5	KSA 82a	1212		
_	OF WATER WELL:	Fraction	11=	NW 1/4 Sec	tion Number	Township Nu		ge Number
County: Ha	rvey	NE			<u>23</u> _	T 26	S R	Z 5Ø)
7	direction from nearest to	own or city street		/	1,	/ =	· -/-	
From	Halstead			try 50		2 m -as		
	ELL OWNER: John		~		-			
RR#, St. Addi	ress, Box # : 441,	4 W.	15 \$				riculture, Division of	
City, State, ZI	P Code : Hal	stead,	KS 6	7056		Application	Number: 3 /	820
LOCATE W	ELL'S LOCATION WITH SECTION BOX:	H4 DEPTH OF	COMPLETED WEL	134	ft. ELEVA	TION:		
	N							70-01
Ŧ l	^					face measured on r		200.
	VW NE					fter		
[]						fter		
∦ w	<u> </u>	Bore Hole Dian	neter 3.0 7ir	n. to		and	in. to	
₹ "	! ! ! !	WELL WATER	TO BE USED AS:	5 Public wate	r supply	8 Air conditioning	11 Injection v	vell
7 L.	sw se	1 Domestic		6 Oil field wat	ter supply	9 Dewatering	12 Other (Sp	ecify below)
	·	32 rrigation	4 Industrial	I 7 Lawn and g	arden only	10 Monitoring well	,	
1		Was a chemica	l/bacteriological san	nple submitted to De	epartment? Ye	esNo	; If yes, mo/day/y	r sample was sub-
ı <u> </u>	S	mitted			Wa	ter Well Disinfected	? Yes 🗶 🔭 1	No
TYPE OF E	BLANK CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOIN	TS: Glued 🗶 0	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cen	nent 9 Other	(specify below		· ·	
PVC	, 4, ABS		7 Fiberglass			er	Threaded	
	diameter l 6	$_{\rm in to}$ 20) ft., Dia	16 in to	3921	##t., Dia		
•	above land surface	. —	· ·	16		ft. Wall thickness or	gauge No.	211
	REEN OR PERFORATION	-		P PV			stos-cement	*
1 Steel	3 Stainle		5 Fiberglass		P (SR)			
2 Brass			_	9 AB	, ,		` .	
	PERFORATION OPEN	nized steel	6 Concrete tile		5		used (open hole)	(onen hole)
				Gauzed wrapped		8 Saw cut	I I NONE	(open hole)
		Mill slot		Wire wrapped		9 Drilled holes		
		Key punched	\sim \sim	Torch cut 🔷 🔔				
			100 "	20				
SCHEEN-PEH	RFORATED INTERVALS			to	· ·	m	ft. to	
		From	ft.	to 5.9	ft., Fro	m	ft. to	
	RFORATED INTERVALS	From	2 <i>0</i> ft.	to 39 to to 44	ft., Fron	m	ft. to ft. to ft. to	ft.
GRA	VEL PACK INTERVALS	From	2 <i>0</i>	to 39 to to 44 to	ft., Froi	m	ft. to ft. to ft. to	ft. ft. ft. ft.
GRA	ATERIAL: 1 Near	From S: From From	2.0	to 39. to to 44. to 3 Bento	ft., Froi ft., Froi ft., Froi nite 4	m	ft. to ft. to ft. to	
GRA	ATERIAL: 1 Near	From S: From From	2.0	to 39. to to 44. to 3 Bento	ft., Froi ft., Froi ft., Froi nite 4	m	ft. to ft. to ft. to	
GRA GROUT MA Grout Intervals	ATERIAL: 1 Near	From	2.0	to 39. to to 44. to 3 Bento	ft., From tt., From t	m	ft. to ft. to ft. to	
GRA GROUT MA Grout Intervals	ATERIAL: S: From Parest source of possible	From	2.0	to 39. to 44 to 58 8 Bento ft.	ft., From tt., From t	m	ft. to	
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer	ATERIAL: S: From Parest source of possible tank Innes 1 Near 2 Late 4 Late 1 lines 5 Ces	From From t cement ft. to	Cement grout	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer	ATERIAL: S: From Parest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See	From From t cement ft. to	Cement grout ft., From 7 Pit priv	to	ft., Froi ft., Froi nite 4 to	m	ft. to	
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert	ATERIAL: S: From Pearest source of possible tank Innes 5 Cestight sewer lines 6 See	From From t cement ft. to	ft.	to	ft., Froi ft., Froi nite 4 to	mm Othertock pens storage izer storage ticide storage	ft. to	
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert	ATERIAL: S: From Parest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See	From From t cement ft. to	ft.	to	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM	ATERIAL: 1 Near s: From earest source of possibl tank 4 Late lines 5 Ces tight sewer lines 6 See well? Fast TO To Day	From From t cement ft. to	ft.	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 3	ATERIAL: S: From Pearest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well?	From From t cement ft. to	ft.	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 3	ATERIAL: 1 Near s: From earest source of possibl tank 4 Late lines 5 Ces tight sewer lines 6 See well? Fast TO To Day	From From t cement ft. to	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 3	ATERIAL: 1 Near s: From earest source of possibl tank 4 Late lines 5 Ces tight sewer lines 6 See well? Fast TO TO DSA BROWNERS	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possibl tank 4 Late lines 5 Ces tight sewer lines 6 See well? Fast TO TO DSA BROWNERS	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 7 18 3 4	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 7 18 3 4	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 7 18 3 4	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne Septic Sewer Watert Direction from FROM J J J J J J J J J J J J J	ATERIAL: 1 Near s: From earest source of possible tank 4 Late lines 5 Cestight sewer lines 6 See well? Fast TO TO To pse Clay	From	Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 39 to 44 to 3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. to	ft. ft. ft. ft. ft. water well well well well
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 3 18 3 2 2 4 2 2 4 3 4 2 4 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ATERIAL: 1 Near s: From	From	7 Pit priv 8 Sewage 9 Feedya	to	ft., Froint., Fr	m	ft. to	ft. ft. ft. ft. ft. water well well ify below) well S
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 3 4 4 7 CONTRAC	ATERIAL: 1 Near s: From	From	7 Pit priv 8 Sewage 9 Feedya	to	ft., Froint., Fr	m	ft. to	ft. ft. ft. ft. ft. water well well ify below) well S
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 7 7 CONTRAC completed on of	ATERIAL: S: From Parest source of possible tank I lines S Cestight sewer lines Well? TO	From	Cement grout 7 Pit priv 8 Sewage 9 Feedya LOG	to	tt., Frointe 4 to	m Other	ft. to	sdiction and was
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 7 7 CONTRAC completed on of	ATERIAL: 1 Near s: From	From	Cement grout 7 Pit priv 8 Sewage 9 Feedya LOG	to	tt., Frointe 4 to	m Other	ft. to	sdiction and was