

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Harvey	NW 1/4 SW 1/4 NW 1/4	8	T 23 S	R 2 E

Distance and direction from nearest town or city street address of well if located within city?

Approximately 3 miles west and 4 3/4 miles north of Halstead

2 WATER WELL OWNER:	City of Wichita	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #	: 455 N. Main	Application Number:
City, State, ZIP Code	: Wichita, KS 67202	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	125	ft. ELEVATION:	unknown
	Depth(s) Groundwater Encountered	1	ft. 2	ft. 3
	WELL'S STATIC WATER LEVEL	7.3	ft. below land surface measured on	mo/day/yr 5-17-04
	Pump test data: Well water was	not checked	ft. after	hours pumping
	Est. Yield	unknown	gpm: Well water was	ft. after
	Bore Hole Diameter	6	in. to	136
WELL WATER TO BE USED AS:	5 Public water supply	8 Air conditioning	11 Injection well	
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (specify below)
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)	10 Monitoring well	Observation Well
Was a chemical/bacteriological sample submitted to Department?	Yes	No	✓	If yes, mo/day/yr sample was submitted
Water Well Disinfected?	Yes	No	✓	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued	✓	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded	
② PVC	4 ABS	7 Fiberglass		Threaded	
Blank casing diameter	2	in. to	83	ft., Dia	in. to
Casing height above land surface	24	in., weight	.70	lbs./ft. Wall thickness or gauge No	.154
TYPE OF SCREEN OR PERFORATION MATERIAL:	⑦ PVC	10 Asbestos-cement			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)		
1 Continuous slot	③ Mill slot	6 Wire wrapped	9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)		
SCREEN-PERFORATED INTERVALS:	From	83	ft. to	123	ft., From
GRAVEL PACK INTERVALS:	From	73	ft. to	136	ft., From

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other	Bentonite Holeplug
Grout Intervals: From	ft. to	ft., From	ft. to	ft., From	0
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well			
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	None known	
Direction from well?			How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Topsoil			
4	15	Clay, brown			
15	21	Clay, gray, soft			
21	28	Clay, dark gray, soft, sandy			
28	49	Clay, green, hard			
49	85	Sand and gravel, medium to fine with clay streaks, green			
85	94	Clay, tan			
94	97	Sand and gravel, medium to fine			
97	104	Clay, tan, hard			
104	124	Sand and gravel, medium to fine with clay streaks, tan			
124	136	Shale, red, hard with lime streaks			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was	(1) constructed	(2) reconstructed	, or	(3) plugged	under my jurisdiction and was
completed on (mo/day/year)	5-17-04					and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No	185	This Water Well Record was completed on (mo/day/yr)	5-27-04			
under the business name of	Clarke Well & Equipment, Inc.	by (signature)				

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.