	WATER WELL	L KECOKD	orm WV	10-5 K	SA 82a-12	12		
1 LOCATION OF WATER WELL:	FRACTION		SECT	TION NUMBER		IP NUMBER	RANGE N	
Harvey	SE 1/4 S	SW 1/4 SE	1/4	34	т 2	23 s	R 2V	V E/W
Distance and direction from nearest town or city	y street address of well if loo	cated within city?						
12502 SW 36th	Halstead, Kansa	s						
2 WATER WELL OWNER: PUC	GH, Randy							
RR#,ST. ADDRESS,BOX #: 1250	02 SW 36th					Board of Agric	ulture, Division of V	Vater Resource
CITY, STATE: Hals	stead, Kansas		ZI	P CODE:		Application Numl	per:	
3 LOCATE WELL'S LOCATION 4	DEPTH OF COMPLET	ED WELL: 5	2 ft.		ELEVATION:			
WITH AN "X" IN SECTION BOX:	•		ft.			ft.		ft.
	epth of groundwater End						. 0/2/	
	ELL'S STATIC WATER			W LAND SU		URED ON mo/da	,,	0/04
NWNE	•	est data: Well wa			ft. after		of pumping @	gpn
W W E E	Est. Yield:		iter was		ft. after	hours	of pumping @	gpn
	Bore Hole Diameter	12 in.	to 5	5 2 ft.	and	in.	to	ft.
	ELL WATER TO BE U			7.1		9. Dewaterin	g 11. Inje	ction well
111 1 1 1 1	1. Domestic 3. Fee				and garden on	-	•	pecify below
	_	ustrial 6. Oil field v				10. Monitoring	g weii hat mo/day/yr v	was sample
, ,	Was a chemical/bacteriolog ubmitted	ical sample submitted to	Department?	YES	NO Vater Well Disir			was sample NO
	ubililited			vvas v			=	
TYPE OF CASING USED: 1. Steel 3. RPM (S	5. Wrought Iron	7. Fiberglass	9. O	ther (Specify	below) CA	SING JOINTS: 🤇	Glued	Threaded
	6. Asbestos-Ce	ment 8. Concrete	SD	R-26			Welded	Clamped
2. PVC 4. ABS			uie .			8:		
Blank casing diameter 5	in. to 32	ft., Dia.	in.	to	ft.,	Dia. i	ı. to	ft.
Casing height above land surface:	12 in.,	Weight:	2.35 II	bs. / ft.	Wall t	hickness or gaug	e No214	
TYPE OF SCREEN OR PERFORATIO	N MATERIAL:							
Steel 3. Stainless Steel	Fiberglass	7. PVC	9. A	BS	11. C	ther (specify)		
2. Brass 4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. A	sbestos-Cer	ment 12. N	lone used (open h	nole)	
COREEN OR REPEARATION ORENIN	ICC ADE	, ,						
SCREEN OR PERFORATION OPENIN			~ ·		0. Dui	Had balan	11 None (onon hole)
1. Continuous slot 3. Mill slot 5. Gauzed wrapped			7. 10	7. Torch cut 9. Drilled holes 11. None (open hole)				
2. Louvered shutter 4. Key p	ounched 6. Wire	wrapped	8. Sa	w cut	10. Otl	her (specify)		
SCREEN - PERFORATION INTERVAL	From	32 ft. to	52	ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	24 ft. t	• 52	ft.,	From	ft.	to	ft.
	From	ft. t	0	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat	t cement 2	2. Cement Grout	-	3. Bentonite		Other bento	nite hole pl	ug
Grout Intervals: From 4	_	4 ft., From	ft.	to	ft.,	From	ft. to	ъ ft.
What is the nearest source of possible of								
				ivestock pens 13. Insecticide storage 15. Oil well/Gas well				
1				rage	14. Aban	ndon water well 16. Other (specify below)		
None App						pparent		
3. Watertight sewer line 6. Seepa Direction from well?	age pit 5. Fe	ou yaru		. Januage	How	nany feet?	•	
	LITHOLOGIC !	00	TErom	Ta	HOW II	LITHOLO	GICTOC	
From To	LITHOLOGIC L	<u></u>	From	To		LITHOLO	GIO LOG	
0 4 topsoil				 				
4 22 clay				 				
22 32 sand with cla				 				
32 50 medium sand	<u>a</u>			 				
50 52 clay				 				
				 			ECEIVE	-D —
			+	 				
			+			01	CT 1 9 20	04
			 	 				
						RURE	AU OF W	ATER
						DOM		
			+					
			+					
			+					
7								Man 1
Contractor's or Landowner's Certi	fication: This water well	was 1. constructe	d) 2. re	constructed	d or 3.	plugged t	ınder my jurisdic	tion and
was completed on (mo/day/year)	9/30/2004	and this record	is true to the	best of my	knowledge and	belief.		
Kansas Water Well Contractor's Lice	nse No. 236	This water w	oll record wa	an nompleter	d an (maldaulur	ear) 10/4/	2004	
Transas vvaler vven Contractor's Lice								
under the business name of Harp				ignature)	d on (mo/day/ye	% d d S.		