| WATER | | RECORD | Form WWC | C- 5 | Division | of Water I | Resources; App. No. | | |
|---|----------------------------|--|---|---|---|--|--|---|--|
| 1 LOCATION OF WATER WELL: County: Harvey | | | Fraction SW 1/4 SW 1/4 | N\N/ 1/4 | Section N 8 | | Township Number T 23 S | Range Number R 2 E W | |
| Distanc | ce and dire city? App | ction from nearest town or city str roximately 5 miles east and | reet address of well if | located | Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 38.066102 Longitude: -97.573679 | | | | |
| 2 WATER WELL OWNER: City of Wichita RR#, St. Address, Box # : 455 N. Main City, State, ZIP Code : Wichita, KS 67202 | | | | | | Elevation: Unknown Datum: NAD 83 Data Collection Method: WAAS GPS Unit | | | |
| SECT | ATION AN ''X'' ION BOX NNE | Depth(s) Groundwater WELL'S STATIC WA Pump test date Est. Yield Unknown gpm WELL WATER TO E 1 Domestic 3 | Encountered (1) ATER LEVEL 13 a: Well water was 18 BE USED AS: 5 P Feedlot 6 Oil of Industrial 7 Don riological sample su | 3.90 ft Not checke Jublic water Tield water states (lawr bmitted to | ft. below laned ft. after ft. after supply supply & garden) Departmen | d surface 8 Air cc 9 Dewa 10 Monit | hours pumping hours hours pumping hours hour | gpm | |
| 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued ✓ Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 126 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., weight .70 lbs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot (3) Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) | | | | | | | | | |
| 2 | Louvered s | hutter 4 Key punched 6 | Wire wrapped 8 | Saw Cut | 9 Drilled notes 11 None (open note) 10 Other (Specify) 6 ft., From ft. to ft., From ft. to 7 ft., From ft. to 7 ft., From ft. to 7 ft., From ft. to | | | | |
| GROUT MATERIAL: 1 Neat Cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From 0 ft. to 20 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well | | | | | | | | | |
| 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well None known Direction from well? How many feet? | | | | | | | | | |
| FROM 0 | TO 3 | LITHOLOGIC LO Topsoil | | FROM 110 | TO 112 | | PLUGGING INTE | | |
| 3 34 43 | 34 43 50 | Clay, gray Sand and gravel, fine to co Clay, gray, green | parse | 112 | | streaks | nd gravel, fine to m , yellow, green nd gravel, fine to co | | |
| 50 61 81 82 | 61 81 82 90 | Clay tannish yellow Sand, fine to coarse Clay, tan Sand, fine to coarse | | 136 | 140 | clay str Shale, | eaks, yellow green | | |
| 90 | 99 | Sand and gravel, fine to m streaks Sand and gravel, fine to m | nedium | | | | | | |
| Kansas Wa | ater Well C business na | 'S OR LANDOWNER'S CEI and was completed on (mo/day/sontractor's License No. 1 | This Wate nent, Inc. | r Well Reco | ord was comp signature) | pleted or (| the best of my knowled (mo/day/year) | | |

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.