Fraction

NW

1/4

Section Number

8

Township Number

23

Range Number

R

2

W

1 LOCATION OF WATER WELL:

County:

Harvey

Distance and direction from nearest tov	wn or city street address of well if located wit NTELSECTION OF GOLDEN PRAINI	hin city?	TH STREET
2 WATER WELL OWNER: City of	f Wichita	י פורט דייט וייט ויי	
RR#, St. Address, Box # : 6016 S			Board of Agriculture, Division of Water Resources
	ead, Kansas 67056		Application Number:
2 LOCATE WELL'S LOCATON WITH	ПД		
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL		ON: 1403
N	Depth(s) Groundwater Encountered 1	19.08 ft. 2	
A			ce measured on mo/day/yr 06/11/2006
NWNE	Pump test data: Well water w	/as ft. aft	er hours pumping gpm
X	Est. Yield gpm: Well water w	as ft. aft	er hours pumping gpm
W E	Bore Hole Diameter in. to	ft. a	ind in. to ft.
	WELL WATER TO BE USED AS: 5 Pub 1 Domestic 3 Feed lot 6 Oil f	olic water supply	B Air conditioning 11 Injection well D Dewatering 12 Other (Specify below)
SW SE	2 Irrigation 4 Industrial 7 Law	n and garden (domestic)	
	Was a chemical/bacteriological sample sub		
S	submitted		Vell Disinfected? Yes No X
5 TYPE OF BLANK CASING USED:	5 Wrought Iron		CASING JOINTS: Glued Clamped
1 Steel 3 RMP	_	9 Other (specify below)	Welded
PVC 4 ABS	7 Fiberglass	o Other (specify below)	Toreaded
Blank casing diameter 2		in to #	Dia in to #
Casing height above land surface		.68 the /# Well	, Dia in. to ft. I thickness or gauge No. Sch. 40
TYPE OF SCREEN OR PERFORATION	· · · · · · · · · · · · · · · · · · ·	7) PVC	10 Asbestos-cement
1 Steel 3 Stainle		8 RMP (SR)	11 Other (specify)
2 Brass 4 Galvar	nized steel 6 Concrete tile	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENIA	1		Saw cut 11 None (open hole)
	Mill slot 6 Wire wra	-	Drilled holes
	Key punched 7 Torch cu		Other (specify)
SCREEN-PERFORATED INTERVALS:		120 ft. From	ft. to ft.
	From ft. to	ft. From	ft. to ft.
GRAVEL PACK INTERVALS:	From 97 ft. to	ft. From ft. From	
	From ft. to	ft. From	74.10
GROUT MATERIAL: 1 Neat of		3 Bentonite 4 O	ther Volciay
	ft. to 97 ft. From	ft. to	ft. From ft. to ft.
What is the nearest source of possible of		10 Livestock	
1 Septic tank	4 Lateral lines 7 Pit privy	· · · · · · · · · · · · · · · · · · ·	ge 15 Oil well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage lag	•	* * * * * * * * * * * * * * * * * * * *
3 Watertight sewer lines	6 Seepage pit 9 Feedyard	13 Insecticide	
Direction from well? FROM TO CODE	LITHOLOGIC LOG	How many feet?	PLUGGING INTERVALS
10000	LITTIOLOGIC LOG	FROW TO	FLUGGING INTERVALS
Sec	e Attached Log		
			Manual 201

7 [CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was 06/08/2006 completed on (mo/day/yr) and this record is true to the best of my knowledge and belief. Kansas **6**/21/2006

102 Water Well Contractor's License No. This Water Well Record was completed on Layne Christensen Company

under the business name of by (signature) INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records

TEST HOLE REPORT

LAYNE Western, a Div. of LAYNE Christensen Wichita, Kansas

Contract Name: Wichita ASR	Test Hole No.	BSM-05 Deep
	Date:	June 8, 2006
	Driller:	M. Leslie

Location of Test Hole:	Elevation of Test Hole:	
	Static Water Level:	
Page 1 of 2		
	Measured Hours After Completion	

From	То	Description of Strata
0	5	brown clayey sandy silt, very fine
5	10	brown sandy silty clay, low to medium plastic
10	15	brown, orange silty sandy clay, low-medium plastic, fine to coarse sand
15	20	brown, orange silty sand, very fine to coarse, clay lens
20	25	olive, gray sand, very fine to coarse
25	30	gray sand, fine to coarse
30	35	gray sand, fine to coarse, clay lens
35	40	olive, gray silty sand, very fine to coarse, clay lens
40	45	olive, gray silty sand, very fine to coarse, clay lens
45	50	olive, gray silty sand, very fine to coarse, clay lens, slight clay
50	55	olive, gray silty sand, very fine to coarse, clay lens, slight clay
55	60	olive, gray silty sand, very fine to coarse, clay lens, slight clay
60	65	olive sand, very fine to coarse
65	70	olive, orange sand, very fine to coarse
70	75	olive sand, very fine to coarse with gravel
75	80	olive sand, very fine to coarse with gravel, clay lens
80	85	olive, orange silty sandy clay, medium plastic, fine to coarse
85	90	olive, orange silty clayey sand, medium plastic,
90	95	olive, orange silty sand, very fine to coarse, slight clay

TEST HOLE REPORT

LAYNE Western, a Div. of LAYNE Christensen Wichita, Kansas

Contract Name: Wichita ASR	Test Hole No.	BSM-05 Deep
	Date:	June 8, 2006
	Driller:	M. Leslie

Location of Test Hole:	Elevation of Test Hole:
	Static Water Level:
Page 2 of 2	
	Measured Hours After Completion

From	То	Description of Strata
95	100	olive, orange sand, very fine to coarse, slight clay
100	105	olive, orange sand, very fine to coarse, slight clay
105	110	olive sand, very fine to coarse, slight clay
110	115	orange sand, very fine to coarse, slight clay
115	120	red, olive shale
120	125	red, olive shale
		bottom of hole 125'
		bottom of well 120'
<u></u>	ļ	