WATER WELL RECORD	Form WWC-5	Div	ision of Wate	r Resources; App. No.∟		
1 LOCATION OF WATER WELL:	Fraction	Section		Township Number	Range Number	
County: Harvey Ww 1/4 Sw 1/4 Sw 1/4 Sw 1/4 Distance and direction from nearest town or city street address of well if			5	T 23 S	R 2 EW	
Distance and direction from nearest town or city street address of well if			Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city? 319 West ST in Halstead			Latitude:			
2 WATER WELL OWNER: Dore! Neyfeld		Longi	Longitude:			
RR#, St. Address, Box # : 3/9 West 57		Detun	Elevation:			
311	1 KS 6705			Method:		
City, State, ZIP Code : Halstead, KS 67056 Data Collection Method: 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL						
LOCATION						
WITH AN "X" IN Depth(s) Groundwater Encountered (1)						
SECTION BOX: WELL'S STATIC WA	WELL'S STATIC WATER LEVEL					
N Pump test data	Pump test data: Well water was3.2ft. after					
WELL WATER TO D	Est. Yieldgpm: Well water was					
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial Domestic (lawn & garden) 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs						
Sample was submitted Water well disinfected? Yes No						
S						
5 TYPE OF CASING USED: 5 Wrought I				G JOINTS: Glued 🟃	-	
1 Steel 3 RMP (SR) 6 Asbestos-		pecify below)				
QPVC 4 ABS 7 Fiberglass	ft Diameter	in to	 А	Threaded	in to ft	
Blank casing diameter 5 in. to 98 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in., Weight 2.3.5 lbs./ft. Wall thickness or guage No. 160						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other						
Grout Intervals: From						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)						
Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well?						
Direction from well?\$5		FROM TO		PLUGGING INTI		
	1.00	ROM TC	,	TEOGOING INTI	LICVALS	
25 35 F Sand - Grey						
35 37 F-C 11 11						
37 41 Lt Grey Clay						
41 46 F Sand - Grev						
46 59 Br+ Lt Grey Co	ay					
59 85 Cr Clay						
85 95 Br Clay					<u>.</u>	
95 111 M-c Sand-Tar						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ② constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year) . 7280.4 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No 427. This Water Well Record was completed on (mo/day/year) 7-37-66						
under the business name of Miller Drilling by (signature) by miller						
INSTRUCTIONS: Use typewriter or ball point pen. PLEA	SE PRESS FIRMLY and PRII	VT clearly. Pleas	se fill in blank	s, underline or circle the co	rrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at						
http://www.kdhe.state.ks.us/geo/waterwells.						