WATE	R WELL	REC	CORD		Form WV	VC-5	Division	n of Water	r Resource	s; App. No.	
			TER WELL:		Fraction		Section	umber	Townsh	ip Number	Range Number
Coun	ity:	an	up	•	NW 145W 1	4 /V W 1/4	24		T	<u>©23</u>	R 2 E
	nce and dire				y street address	or well if	Global Pos Latitude:	_	Systems	(decimal deg	grees, min. of 4 digits)
		•	906		310		Lantude: Longitud				
2 WA	TER WEL	L OW	NER: La	1111	Harri	mator	Elevation	··			
RR#	, St. Addres	ss, Box	$\#:G_{\Sigma}(a)$	vig.	3 Rd	my w.	Datum:				
City	, State, ZIP	Code	700	1. 1. 7.			Data Coll	lection N	Method:		
3 LOC	CATE WEL	L'S	4 DEPTH OI	F COMP	LETED WELL		50		vicinou.		
	CATION										
	'H AN "X"										
SEC	TION BOX	<b>(:</b>	WELL'S STATIC WATER LEVEL								
	N Pump test data: Well water wasft. after hours pumping  Est. Yieldgpm: Well water wasft. after										
'	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection										
w × N	K   F   1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Special Control of the Control of								her (Specify below)		
"	<del></del>	┨	2 Irrigation	4 Indi	ustrial 7	nestic (lawn	& garden)	10 Мон	itoring w	ell	
SV	V										
		Was a chemical/bacteriological sample submitted to Department? Yes No									
Sample was submitted											••••
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped											
			SED: 5 V P(SR) 6 A	v rougiii 1 Ashestos-			v helow)	CASING	3 JOIN IS	Welded	Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded											
Blank casing diameter											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)											
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From 2.4. ft. to 5.0. ft., From ft. to ft.											
From											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From											
			of possible co			ш	. 11. 10	10	ı., From .	• • • • • • • • • • • • • • • • • • • •	11. 1011.
	Septic tank				7 Pit privy	10 Lives	tock pens	13 Ins	secticide S	Storage	16 Other (specify
	Sewer lines		5 Cess		8 Sewage lagoon		-			water well	below)
	Watertight			1	9 Feedyard	12 Ferti	izer Storage	15 O	il well/ga	s well	
	n from wel	<u> </u>			T.O.C.						EDVALC
FROM	70 2	1 -	Ino Si	OLOGIC	LUG	FRO	M TO		PLUC	GGING INT	EKVALS
2	24		Clay	e d			-				
24	50	m	od K	and							
•				<del></del>							
					-04						
					10.5						
7 CON	TRACTOR	R'S OI	R LANDOWN	ER'S CE	RTIFICATION	N: This water	er well was (	(1) const	ructed (2	) reconstruc	ted, or (3) plugged
under n	ny jurisdicti	on and	was completed	d on (mo/	day/year) 4.7.9	3. O. 7a1	d this recor	d is true	to the bes	t of my kno	wledge and belief.
Kansas	Water Well	Contr	actor's License	No	7./ This ,V	Vater Well R	ecord was c	ompleted	pn (mo/	day/year):	5-16-07
	ne business			2	Wrl		by (signatu			ase_	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone											
785-296-	5522. Send	one	to WATER WE	LL OWN	ER and retain or	ne for your	records. Fe	ee of \$5.	00 for ea	ch constructe	d well. Visit us at

\_\_\_\_\_

http://www.kdheks.gov/waterwell/index.html.