

KSA 82a-1212

Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy

**Sargent Drilling**  
INDUSTRIAL ENGINEERING  
COMPLETE MUNICIPAL AND INDUSTRIAL  
WELL AND PUMP SERVICE

PO Box 367  
Geneva, NE 68361-0367

846 South 13<sup>th</sup> St.

Phone: (402) 759-3902  
1-888-496-3902

**TEST HOLE LOG**

CUSTOMER: City of Wichita	
WELL ID: OB2D	
LOCATION: NW ¼ NW ¼ NW ¼ SW ¼, 29-T23S-R2W, Harvey Co., KS	
LATITUDE: 38° 01' 16.1"	
LONGITUDE: 097° 34' 23.5"	
FOOTAGES: 2537 from the South section line and 5162 feet from the East section.	
DATE: 10-21-09	DRILLED BY: CL

SWL:

PWL:

<u>from feet</u>	<u>- to feet</u>	
0	15	Clay
15	20	Fine, medium and coarse sand and fine gravel
20	40	Fine and medium sand and sandy clay layers
40	45	Clay
45	62	Fine sand
62	65	Clay
65	80	Clay and sand strips
80	85	Clay
85	95	Fine, medium and coarse sand and fine gravel
95	118	Clay
118	121	Fine, medium and coarse sand
121	179	Clay
179	180	Fine, medium and coarse sand
180	226	Fine, medium and coarse sand and fine gravel
226	240	Clay

Well Depth: 226'

Bore Hole Dia: 6"

Plain casing: 206' of 2"

Perf. casing: 20' of 2"

slot size: .020"

Gravel pack from 197' to 226'

Bentonite from 0' to 197'

dh