WATER WELL RE	CORD	Form W	WC-5	Divisi	ion of Water	Resources App. No	<u>. L</u>		
1 LOCATION OF WA	TER WELL:	Fraction .	<u> </u>			Township No.	Range No		
County: Have		1/4 NE 1/4 NG		4				□E XW	
Street/Rural Address						System (GPS) inf			
from nearest town or intersection: If at owner's address, check here \(\) .					Latitude:				
					Longitude:				
					Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: COMY NUMBERS OF RR#, Street Address, Box #: 1309 Red bud Ct. City, State, ZIP Code : Halstead, K5					Collection Method:				
City State 7ID Code 1309 Red by C.					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code	Na l.	stead Kt)			oto, ☐ 1 opograpnic 3 m, ☐ 3-5 m, ☐			
3 LOCATE WELL						·, _ · · · · · · · · · · · · · · · · · ·	<u> </u>	1 10 111	
WITH AN "X" IN		COMPLETED WELL				_			
SECTION BOX:	Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.								
1	WELL STATIC WATER LEVEL 11. Octow land surface incasured on morday/yi								
Pump test data: Well water was									
W NW NE EST. FIELD									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
Water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: If Glued Clamped Welded Threaded									
Casing diameter 5 in. to 90 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight 160 lbs./ft., Wall thickness or gauge No. 6									
			7.12.52.	IDS./It.,	wan thic	kness or gauge No) 	D	
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PYPC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.									
From ft. to ff. From ft. to ff.									
From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
Grout Intervals: From									
What is the nearest source			[] T :t1		l Y 48-14-	-t	(L -1>	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
Watertight sewer lines Seepage pit Feedyard Fertilizer ste									
Direction from well	East			from well					
FROM TO	LITHOLOG		FROM	TO I	LITHO. LO	OG (cont.) or PLU	GGING IN	NTERVALS	
2 36 0	Soil								
36 41 Fi	aux ,								
36 41 Fi	ed Sand	. 1101							
77 90 ME		WICLAY Str	PAKS						
77 90 Me	d Sand						·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No									
under the business name of									
(white, blue, pink) to Kansas	Department of Health	and Environment, Bureau	of Water, Geol	ogy Section,	1000 SW Jac	kson St., Suite 420, T	opeka, Kans	sas 66612-1367.	
Telephone 785-296-5524. Se	nd one copy to WAT								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212									
NOA 024-1212									