WATER WELL RECORD	Form W	WC-5	Division of Wate	r Resources App. No	0.	
1 LOCATION OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: Narvey	Fraction 1/4 NW 1/4 NW	1/4 NW 1/4	28		R 2 DE XW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here 🔼 Latitude:						
			(in decimal degrees)			
			Elevation:	• • • • • • • • • • • • • • • • • • • •	•••	
2 WATER WELL OWNER: Da a	No habi	A/A/	Datum: WGS 84	1, □ NAD 83, □	NAD 27	
Collection Method.						
RR#, Street Address, Box #: 1216 S. SpriNg Lake Q GPS unit (Make/Model:						
Hal	slead Ko	•	Est. Accuracy: <	3 m	5 Nap, Land Survey	
1 3 TOCATE WETT				5 m, LJ 5 5 m, LJ	0 10 III, [] - 10 III	
WITH AN "X" IN 4 DEPTH OF	COMPLETED WEL	L	ft.			
SECTION BOX: Depth(s) Ground	BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.					
N WELL'S STAT	WELL SSIATIC WATER LEVELIt. below land surface measured on mo/day/yr					
 % Pump	Pump test data: Well water wasft. after hours pumping gpm					
NWNE EST. YIELD	EST. YIELDgpm. Well water wasft. after hours pumpinggpm					
W E Bore Hole Diam	, , , , , , , , , , , , , , , , , , , ,					
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
Domestic						
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
5 TYPE OF CASING USED: Stee		Other		****		
CASING JOINTS: Signed Clamped Welded Threaded						
Casing diameter						
Casing height above land surface						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Mentonite Cother						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool		Fuel storage				
☐ Watertight sewer lines ☐ Seepage r Direction from well		Fertilizer sto	0		***************************************	
FROM TO LITHOLOG			rom well		COTTO TO TOTAL TOTAL	
O 2 TOP Soil	IC LOU	FROM	TO LITHO. LC	JG (cont.) or PLU	GGING INTERVALS	
19 29 med COGASE	. Sand grave			THE RESIDENCE OF THE PARTY OF T		
50 31 0100 COUCHS E	. Sand grave					
29 30 Clay						
					Name of the control o	
	and the second s					
7 CONTRACTOR'S OR LANDOWNER	S'S CERTIFICATION	V:. This water	well was 🕅 constru	icted. Treconstru	icted or nlugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No. (a.// This Water Well Record was completed on (mo/day/year) $\sqrt{-18-12}$						
under the business name of . Mass.	DRILLING		by (signature)	Meel		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						