WATE	R WEI	L RECORD	Form W	WC-5	Division of Water Resources App. No.		
1 LOC	ATION	OF WATER WELL:	Fraction	V CF ::	Section Number   Township No.   Range Number	117	
	ty: Han		¼ NW ¼ NE			w	
		Address of Well Location; in the country of the cou			Global Positioning System (GPS) information:  Latitude:	~~)	
				k neic	Longitude: (in decimal degree		
Fror	n Hwy s	60 and Halstead Rd. 4 m	ile N. 1 1/4 VV.		Elevation:	-/	
		T T OWNER			— <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
		ELL OWNER: Edward Address, Box #: 3302 No			Collection Method:  GPS unit (Make/Model:		
			orth Old Settlers Rd.		Digital Map/Photo, Topographic Map, Land Surve		
City,	, state, z	. Halstea	d. Kansas 67056		Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m	,	
3 LOC	ATE WE	LL		400			
	AN "X				tt.	_	
SECT	TION BO N	Depth(s) Ground	water Encountered	ارا	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr. 8-16-2012	tt.	
					ft. after		
1	'	FOT VIELD			ft. after hours pumping gpmgpm.		
w   NV	V   N	E Bore Hole Diam	eter 40 in to	108	ft., and	_	
l "					ter supply Geothermal Injection well		
	/ s	Domestic			ter supply		
	'   ĭ	<b>✓</b> Irrigation			wn & garden Monitoring well		
	<del></del> '	Was a chemical/	bacteriological sample	submitted t	o Department? Tyes 2 No		
	S 1 mile		day/yr sample was sub		••••••		
1 '		water well dishi	fected?  Yes				
		SING USED: Steel					
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 16 in to 78 ft., Diameter in to ft., Diameter in to ft.							
Casing height above land surface. 24 in., Weight SCH.40 lbs./ft., Wall thickness or gauge No500 TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter    Key punched    Wire wrapped    Saw cut     Other (specify)							
BERLL	14-1 LACI				ft., From ft. to		
	GRAV	EL PACK INTERVALS:	From. 108	ft. to 18	ft., From ft. to	ft.	
			From	ft. to	ft., From ft. to	ft.	
From							
Grout In				ı . <del>Հ</del>	ft. to .0 ft., From ft. to	ft.	
	the neare Septic tar	est source of possible conta		Livestock	pens Insecticide storage Other (specify below)	i	
	Sewer lin		<b>=</b> • •	Fuel storage			
	Watertig		it 🔲 Feedyard	Fertilizer s			
		n well		<del></del>	from well		
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVAL	LS	
0	3	Top soil		<b>  </b>			
3	47	Tan clay		<b></b>			
47 55	55 85	Fine sand Small sand					
85	100	Small sand Sm-fine sand w/few stk	e tan clay				
100	104	Sm to fine sand-tan cla		<del>                                     </del>			
104	106	Tan clay	, . 0/00	<del> </del>			
106	108	Weathered red shale		<b> </b>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗆 reconstructed, or 🗖 plugged							
under my jurisdiction and was completed on (mo/day/year) .8-16-2012 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134. This Water Well Record was completed on (mo/day/year) 8-24-2012							
under the business name of Rosencrantz-Bemis Ent. by (signature) Dodge Dodge Rosencrantz-Bemis Ent. by (signature) Dodge Dodge Rosencrantz-Bemis Ent.							
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.							
Telephone	Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212 Check:  White Copy, Blue Copy, Pink Copy							
<b>N</b> 3A 82a-	1212		•		Check: White Copy, Blue Copy, Pink C	Jupy	