WATE	D WEI	L RECORD	Form WV	VC-5	Division of Water	r Resources App. N	48,496	
WATER WELL RECORD 1 LOCATION OF WATER WELL:			Fraction			Township No.	Range Number	
	County: Harvey		NW ¼ SE ¼ SE	1/ NF 1/	10	T 23 S		
		Address of Well Location; i			Global Positioning			
				Latitude: 38 066	838	(in decimal degrees)		
from nearest town or intersection: If at owner's address, check here					Latitude: .38,066838 (in decimal degrees) Longitude: 97.520212 (in decimal degrees)			
4 m	iles Nor	th of Halstead, Ks.		Elevation: 1430 f	t	(iii decimai degrees)		
					Datum: WGS 84			
2 WATER WELL OWNER: Merrill Yost					Collection Method:	, <u>F</u> 1015 05, <u>C</u>	10.10.27	
RR#, Street Address, Box #: 1901 N. Halstead Rd.						e/Model:)	
City	, State, Z	7ID C- 1-		Ks. 67056 Digital Map/Photo, Topographic Map, Land			ic Map, 🔲 Land Survey	
		11010100	Est. Accuracy: <	3 m, 🔲 3-5 m, 🗀] 5-15 m,			
3 LOCATE WELL 70								
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
SEC		ON BOX: Depth(s) Groundwater Encountered (1)						
	Pump test data: Well water wasft. after hours pumping gpm							
NV	EST. YIELD. 200 2pm. Well water was							
w	w							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: D Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 79 ft., From ft. to ft.								
URAYED FACK INTERVALS. FIUII								
From								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well Northeast Distance from well 300 ft								
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	3	Topsoil						
3	55	Clay, brown				***		
55	65	Sand, fine w/clay layers						
65	78	Sand, coarse w/clay lay						
78	79	Shale, gray						
		TV-1 TV4						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .11/19/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/year) 11/21/14								
under the business name of Peterson Irrigation, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html