		WA	ATER WELL RE	CORD Form	n WWC-5	KSA 82a-	1212 ID No	o					
<b></b>	ION OF WA		Fraction	-	2	Sec	ction Number	Towns	ship Number	Ran	ge Num		
County:	<u>Hodgema</u>		N <sub>2</sub> 1/2		N <sup>1</sup> 2 X <sub>4</sub>		23	<u> </u>	23 s	R	22	<b>½</b> ξ/W	
			-	address of well	if located w	ithin city?							
<b>—</b>		h of Hans								**			
⊢-'		NER: Richa "	Box 80					D	da f Ameia de de D	lulalan a <b>f</b> N	Vatar Da		
City, State,	ďdress, Box ZIP Code		ey, Ks. 6	7547					d of Agriculture, Docation Number:	1527	vater He )	sources	
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF	COMPLETED W	VELL	LOO	ft. ELEVAT						
	N SECTION		Depth(s) Grou	ındwater Encour	ntered1		ft.	2	ft. 3 on mo/day/yr	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ft.	
	N I	1											
	1	t	Pt Est Yield	ump test data: 400 gpm:	Well water	was was	tt. a 86	itter ifter	${2}{2}$ hours pu	ımping	+00	gpm	
-	-NW <b>X</b>	- NE		TO BE USED		ıblic water	supply	8 Air condi	tioning 11 İn	jection wel	l		
		_	1 Domesti										
w	ı	<del>-                                    </del>	2 Irrigation	<u> </u>	iai / Do	omestic (lav	wn & garden)	TO MONITORI	ig weii				
	-sw	- SE	Was a shamis	al/bastarialagias	al comple o	hmittad ta	Danarimant? V	os No	X . If you m	o/dov/vro	omala v	voc cub	
	1	ı	mitted	al/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs sample was s Water Well Disinfected? Yes HTH No							7as sub-		
	S	ı											
5 TYPE (		ASING USED:		5 Wrought in	on	8 Concre	ete tile	CASIN	IG JOINTS: Glued	ı X	lamped		
1 Steel 3 RMP (SR)				6 Asbestos-Cement		9 Other (specify below)				ed			
2 <u>PVC</u> 4 ABS Blank casing diameter				7 Fiberglass									
Blank casir	ng diameter	Τρ	in. to		ft., Dia		in. to		ft., Dia	in.	to	ft.	
. 726	-			in., weigh	t				hickness or guag			••••••	
TŶPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel				5 Fiberglass						Asbestos-Cement Other (Specify)			
2 Bras		4 Galvaniz		6 Concrete t		9 AB			2 None used (op				
SCREEN (	OR PERFOR	ATION OPENI	NGS ARE:		5 Guazed wrapped			8 Saw cu	t	11 None	(open ho	ole)	
	tinuous slot		fill slot		6 Wire wrapped			9 Drilled h	noles specify)			£4.	
	vered shutte		(ey punched	100	7 Torch o			,	,				
SCREEN-F	PERFORATE	ED INTERVALS	: From	100	ft. to ft. to	ייייייייייייייייייייייייייייייייייייייי	ft., From . ft From	,	ft. to		• • • • • • • • • • • • • • • • • • • •	ft.	
(	GRAVEL PAG	CK INTERVALS	: From	100	ft. to	20	ft., From .		ft. to			ft.	
			From		ft. to		ft., From .		ft. to			ft.	
6 GROU	IT MATERIA	L: 1 Nea	it cement	2 Cement	arout	3 Bent	tonite 4	Otherh	ole plug				
Grout Inter			ft. to						1				
What is the			contamination:				10 Livesto			bandoned			
1 Septic tank 4 Lateral lines				7	7 Pit privy		11 Fuel storage		15 O	15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewage lagoon		12 Fertilizer storage		3.7	16 Other (specify below)			
	•	r lines 6 Seep	page pit	9	9 Feedyard			13 Insecticide storage			None		
Direction fr			1.171.101.001	0100		FDOM	How many	y feet?	DI LICOING IN	TEDVAL C			
FROM	TO	01 011	LITHOLOGI	C LOG		FROM	ТО		PLUGGING IN	IERVALS			
0 25	25 30	Clay Sandy cl	217									,	
30	53	Sandy C1					•				*	<del></del>	
53	80½	Clay	2 <u>4446</u>										
80½	100	Sand & g	ravel										
			,										
								•					
					+								
				•									
7 CONTR	ACTOR'S O	R I ANDOWNE	B'S CERTIFIC	ATION: This was	ter well was	(1) constri	ucted (2) reco	nstructed or	r (3) plugged und	er mv iuris	diction	and was	
									the best of my kn				
Water Well	Contractor's	Licence No	134	T	his Water W	/ell Record	was completed	d on (mo/day	<sub>//yr)</sub> 5-11-0	5			
and an elementar		o of D	ocrantz- F				by (c	signatura)	×~	<b>A</b> .			