OCATION OF WATER WELL:	Fraction	ER WELL RECORD Fo	orm WWC-5 KSA Section Num	82a-1212 ber Township	Number	Ran	ge Num	ber
unty: Hodgeman	NE ½	4 NW 1/4 SW	1/4 4	Т 2	3 s	R	23	⊊ ⁄W
tance and direction from nearest	t town or city street a	address of well if located v	within city?					
1 3/4 East of Jetmo	re							
WATER WELL OWNER:	1.0	D. J			3			
		Rodney Oliph		Board	of Agriculture, [Division of	\Mater E	2000Ur
#, St. Address, Box # :		Offerle,Ks.	67563			4 2 4		1650011
, State, ZIP Code :					tion Number:			
OCATE WELL'S LOCATION WIN "X" IN SECTION BOX: I I I I I I I I I I I I I I I I I I I	Depth(s) Ground WELL'S STATIO Purr Est. Yield Bore Hole Diam WELL WATER: 1 Domestic 2 Irrigation Was a chemical mitted D: 2 (SR)in. to	dwater Encountered 1 C WATER LEVEL	33 ft. below land was	ft. 2	tt. 3 I on mo/day/yr hours pu hours pu hours pu in. 11 12 well X; If yes, ected? Yes JOINTS: Glued Welde Threa ss or gauge Ne Asbestos-ceme Other (specify) None used (op	mping to Injection w Other (Spe mo/day/yr N 1 ded in to in to	8-91 rell ecify bell sample	ow)
			• •			II NONE	(open i	ioie)
	-	6 Wire wra	abbea	a nulled hol	es			
2 Louvered shutter								
	From	7 Torch cu		From	ft. to	o o		
GRAVEL PACK INTERVALA GROUT MATERIAL:1_Ne ut Intervals: From 3	From From From From eat cement t. to33.	ft. to		From	ft. to	o		
GRAVEL PACK INTERVALATED INTERVALATE GRAVEL PACK INTERVALATE INTER	From From From From From Ft. to 33.	ft. to		From	ft. to	oo	water w	
GRAVEL PACK INTERVALA GROUT MATERIAL:1_Ne ut Intervals: From 3 at is the nearest source of possi 1 Septic tank 4 Li	From	ft. to 7 Pit privy		From	ft. to ft	oo.	water w	ell
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne ut Intervals: From 3 at is the nearest source of possi 1 Septic tank	From	ft. to		From	ft. to ft	oo	water w	ell
GRAVEL PACK INTERVALATION OF THE PACK INTERV	From	ft. to 7 Pit privy		From	ft. to ft	oo. oo. oft. to oo. oft. to oo. oo. oo. ii well/Gas	water w	ell
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne at Intervals: From	From	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor	3 Bentonite	From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne at Intervals: From 3 at is the nearest source of possi 1 Septic tank	From	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard	3 Bentonite	From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne Let Intervals: From	LS: From. From. LS: From. From eat cement ft. to33. ible contamination: ateral lines eess pool eepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL ROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL ROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cement ft. to33. ible contamination: ateral lines eess pool eepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL ROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL ROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne It intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL ROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL ROUT MATERIAL:1_Ne It Intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	eli
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne It intervals: From 3 It is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne Let Intervals: From 3 Let is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne ut Intervals: From 3 at is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne ut Intervals: From 3 at is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne ut Intervals: From 3 at is the nearest source of possi 1 Septic tank	LS: From. From. LS: From. From eat cementft. to33. ible contamination: ateral lines less pool leepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard		From	ft. to ft	of the too	water w well fy below	ell
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL:1_Ne It Intervals: From	LS: From	ft. to		From	14 Al 15 O 16 O PLUGGING II	er my juris	water w well fy below	ell v)
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL ROUT MATERIAL:1_Ne at Intervals: From 3	LS: From	ft. to		From	14 Al 15 O 16 O PLUGGING II	er my juris	water w well fy below	ell ()