


1 LOCATION OF WATER WELL: Fraction SW 1/4 NW 1/4 SE 1/4 Section Number 35 Township Number T 23 S Range Number R 23 EW

Distance and direction from nearest town or city street address of well if located within city?
 From Jetmore Smiles south on 283 Hwy. 4 1/2 miles east

2 WATER WELL OWNER: Walter Whiteside
 RR#, St. Address, Box #: 2511 Melencamp
 City, State, ZIP Code: Dodge City, Ks. 67801
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 150' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL . . . 120' . . . ft. below land surface measured on mo/day/yr . . . 6-10-93
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter . . . 9 7/8" . . . in. to ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic (circled) 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No. X If yes, mo/day/yr sample was sub-
 mitted Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 2 PVC (circled) 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter . . . 5" . . . in. to . . . 130' . . . ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface . . . 18" . . . in., weight lbs./ft. Wall thickness or gauge No. . . . 5 AR 21
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut (circled) 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From . . . 130' . . . ft. to . . . 150' . . . ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From . . . 20' . . . ft. to . . . 150' . . . ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite (circled) 4 Other
 Grout Intervals: From . . . 0 . . . ft. to . . . 20' . . . ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens (circled) 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? All around 5' How many feet? All around

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top soil			
2	5	Limestone layers + yellow clay			
5	90	white clay + shale w/white rock layers			
90	102	sandstone layers w/ shale			
102	108	Sandstone (tight)			
108	122	Shale + sandstone layers			
122	140	Sandstone			
140	150	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (circled), (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . 6-10-93 . . . and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . . 533 . . . This Water Well Record was completed on (mo/day/yr) . . . 9-6-93 . . . under the business name of Jantzen Water Well Repair by (signature) [Signature]