

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

JETMORF SE

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 89-1201-1215
DAN
NE NE SE

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County HODGEMAN	Township name CENTER	Fraction SE 1/4	Section number 36	Town number 23	Range number 23 W
Distance and direction from nearest town or city: 1/2 MILE SOUTH OF HANSTON			3 Owner of well: DAN WADDE			
Street address of well location if in city:			Address: SPEARVILLE, KANSAS			
Locate with "X" in section below:		Sketch map:		4 Well depth: 186 ft. Date of completion 25-Jan-76 Well diameter 5 in.		
				5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				6 Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>		
				7 Casing: Material STYRENE Height above/below 18' Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18' in. Diam. 5 1/4 in. Weight 25 lbs./ft. +18 in. to 186 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
2		Type and color of material	From	To	8 Screen: JESSE L WELLS Manufacturer JESSE L WELLS Type STYRENE No. 5" Slot/gauze 1/16 Length 10 Set between 176 ft. and 186 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/4 in.	
		TOPSOIL	0	1	9 Static water level: 136 ft. below land surface Date 23-Jan-76	
		BLEACHED	1	3	10 Pumping level below land surfaces: 182 ft. after 20 hrs. pumping 8 g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 8 g.p.m.	
		LIMESTONE ROCK	3	8	11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____	
		CEMENTED SAND	8	22	12 Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade	
		LIMESTONE ROCK & CLAY	22	29	13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 4 ft. to 15 ft.	
		BLACK SHALE	29	114	14 Nearest source of possible contamination: ft. 70 Direction WEST Type CORRAL Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
		HARD GREY SHALE	114	140	15 Pump: <input type="checkbox"/> Not installed Manufacturer's name GERMOTOR Model number _____ HP 1/2 Volt 230 Length of drop pipe 184 ft. capacity 8 g.m.p.	
		RED CLAY	140	146	Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
		LIGHT GREY CLAY	146	162	16 Remarks: elevation 2372 22 2350	
		SAND STONE (GOOD)	162	183	17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. DEAN WATERHOUSE DRUG Business name _____ License No. _____ Address HANSTON KANSAS Signed Dean Waterhouse Date 8-2-76 Authorized representative	
		RED-BROWN CLAY	183	200		
		GREY CLAY OR SHALE	200	208		
		BRICK 22'				
		CRETACEOUS				
		WELL				
		(use a second sheet if needed)				

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5

23 23W 36 NE NE SE