11.004704455	ATED MELL	<del></del>	WELL RECORD	POITII VVVVC-	NOA 62				
1 LOCATION OF W	,	Fraction	ST 1/18.		ction Numbe <b>G</b>	1 02		Range Nu	_
County: / 1000 g		NW 1/4		1/4	<u> </u>	J T ^3	S	нжи	E/ <b>②</b>
~	A) A)	1. ,	ddress of well if located	within city?					
	5. Main		ore, h	. ,		1.00			
2 WATER WELL O	WNER: Lloyd	Nusser	Chevrole	F P.C	1 BOX 1				
RR#, St. Address, B	ox # : 6105		1/6 /	700	<u>A</u>	Board of A	Agriculture, D	ivision of Water	Resources
City, State, ZIP Code	: JctM	ore,	KJ 6	785	7	Application	Number:		
3 LOCATE WELL'S	LOCATION WITH 4	DEPTH OF C	OMPLETED WELL	63.0	ft. ELEV	ATION:	6	<del></del>	
AN "X" IN SECTION			water Encountered 1.						
T			WATER LEVEL 4						
	1 ; 11"		est data: Well water	4	, ,				
NW	NE   _								
1   X			7 gpm: Well water						
* w - !	- El		terin. to.		ft.,			to	ft.
ž W !		ELL WATER T		5 Public water	,	8 Air conditioning	) 11 I	njection well	
ī		1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering		Other (Specify b	elow)
'''	7 - 7 - 7	2 Irrigation	4 Industrial	Lawn and	garden only	10 Monitoring wel			
	w	as a chemical/b	acteriological sample s			•			le was sub
Ι		itted	,		•	ater Well Disinfecte		No L	
5 TYPE OF BLANK	CASING USED		5 Wrought iron	8 Concr		ALL CONTRACTOR OF THE PARTY OF		Clampe	ed
1 Steel	3 RMP (SR)		6 Asbestos-Cement		(specify belo		Welde	-	
PVO	4 ABS				, , , ,	•	Threa	-	
		40	7 Fiberglass			4 0:-			
			ft., Dia						
	land surface	•	in., weight		lbs	./ft. Wall thickness	or gauge No		· · · · · · · ·
TYPE OF SCREEN	OR PERFORATION N	MATERIAL:		(7 PV	Ø	10 Ast	estos-cemer	nt	
1 Steel	3 Stainless st	teel	5 Fiberglass	8 RN	MP (SR)	11 Oth	er (specify)	· · · · · · · · · · · · · · · · · · ·	
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AB	s	12 Nor	ne used (ope	n hole)	
SCREEN OR PERFO	DRATION OPENINGS	ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open	hole)
1 Continuous s	lot (3 Mij) s	slot	6 Wire wrapped			9 Drilled holes			
2 Louvered shu		punched	7 Torch			10 Other (specifi	<i>(</i> )		
SCREEN-PERFORA	,	From			4	om			
SCHEEN-FERFORA	TED INTERVALS.	_							
		From				om			
GRAVEL P	ACK INTERVALS:	From	ft. to		ft., Fro	om			ft.
		From	ft. to	<u> </u>	ft., Fr	<del></del>	ft. to		ft.
6 GROUT MATERIA		nent 🗼 🌊	ement grout	3 Dento	onite _ (4	ther			
Grout Intervals: Fr	om 🌭 . 💟 ft.	toØ.5.	ft., From	• ft.	to	ft., From	á.O	. ft. to 60	7. Oft.
What is the nearest	source of possible cor	ntamination:			10 Live	stock pens	(14 Ab	andoned water	well
1 Septic tank	4 Lateral I	lines	7 Pit privy			storage	15 Oil	well/Gas well	
2 Sewer lines	5 Cess po	ool	8 Sewage lago	on		ilizer storage	16 Ot	her (specify belo	ow)
3 Watertight sewer lines 6 Seepage pit						nsecticide storage			
Direction from well?	mer miles o deepage	o pit	3 i ccayara			•			
FROM TO	I	LITHOLOGIC I	OG	FROM	TO TO	any feet?	UGGING IN	TERVALS	
1110101		LITHOLOGIC	LOG	88	0.5		-oddina in	TETTVALO	
						C'ement			
		***************************************		0.5	2.0	Cement	,		
				2,0	63.0	Bentonit	≺		
					ii				
		, , ,							
<del></del>									
	CILLIA	/ 10		<b></b>	44.47	,			
	St Well A	6. 00 C	' / /833			MW-1			
				1					
				<b>†</b>				: 1	4
				<del></del>		Deffenbau	LE	Same?	1
- <del></del>	L			1	L	~		N VERVICES	TR 038-9
7 CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION	ON: This water well wa						
completed on (mo/da	y/year)	798			and this rec	ord is true to the be	st of my kno	wledge and beli	ef. Kansas
			This Water We				6/14/9	19	
	ame of TEST (De				by (signa		1000 L	- P.O	
				oo fill in bll-				onies to Kanson De-	nartment
			<u>RMLY</u> and <u>PRINT</u> clearly. Plea 0-0001. Telephone: 913-296-55					CPICS IO INGIISAS DE	

WATER WELL BECORD

Form MANAIC F